Lists of Nepal Interim Benchmark for solid biomass Cook stoves (NIBC, 2016) approved biomass cook stoves (Tested by RETS)

Note:- The validity of Production Introduction test (PIT) certificate shall be 2-year from issued date.

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Designer:	Alternative Energy Promotion Center (AEPC)	Mud/double Pot Hole/ Natural Draft /	High power Thermal efficiency (%)	24	
	ICS1109	Address:	Khumaltar Height , Lalitpur , Nepal	chimney	High Power CO (g/MJ _d)	0.30*	
1.	(Local)	Contact No:	+9771-5539390, 5539391	- Model: 2-Pot hole raised type Mud ICS	High Power PM 2.5(mg/MJd)	24.85*	
				ics	Safety	95 out of 100	
			Certifi	cate Issued date:-	2 nd Aug 2016 (This stove certificate is valid)		

Mandatory Performance

 $\ensuremath{^{*}}$ Fugitive emissions value only, excluding emission from the chimney outlet

Manufacturer/ Developers Details

5.11	KEISID	Manufacturer	7 Developers Details	Type/ Wlodel	parameter as per test c	onducted	
		Local Manufacturer Name	Matribhumi Urja pvt.ltd	Mud/double Pot Hole/	High power Thermal efficiency (%)	25.5	
		Address	Basundhara, Kathamandu, Nepal	Natural Draft / chimney	High Power CO (g/MJ _d)	0.32*	
2.	ICS1110 (Local)	Contact No	9841152254	Model: MICS 06 with air supply	High Power PM 2.5(mg/MJd)	29.99*	
				- un suppty	Safety	91 out of 100	
		,	Certifi	cate Issued date:-	26 th Dec 2016 Refer S.N 82 (ICS 1366 certificate	i) for new	

Type/ Model

Photograph of Stove



^{*} Fugitive emissions value only, excluding emission from the chimney outlet

S.N	RETS ID	Manufacturer	/ Developers Details	Type/ Model	Mandatory Perforr parameter as per test c by NIBC 2010	onducted	Photograph of Stove
		Local Manufacturer Name	Ram BahadurRaut	Mud /Single Pot Hole/ Natural	High power Thermal efficiency (%)	26.39	
		Address	Karthali-9, Sindupalchok	Draft	High Power CO (g/MJ _d)	5.73	
3.	ICS1130 (Local)	Contact No	+977-9803916674	Model:- RautChulo	High Power PM 2.5(mg/MJd)	505.15	
					Safety	91 out of 100	
			Certific	cate Issued date:-	28 th Nov 2016 (This stove certificate is valid)		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2016	onducted	Photograph of Stove
		Manufacturer Name Manufacturer Address	Greenway Gramin Infra Pvt Ltd. Navi Mumbai, India	Metallic/single Pot Hole/ Rocket/ Natural Draft	High power Thermal efficiency (%) High Power CO (g/MJ _d)	27.91 3.64	
	ICS1132	Local supplier	Smart Power pvt.Ltd		High Power PM 2.5(mg/MJd)	384.55	The same of the sa
4.	(Imported)	Local supplier Address:	Ganesh sadan, Tridevi Marg, Thamel, Kathmandu	Model:- Greenway	Safety	85 out of 100	
		Local supplier contact no:	01-4413263/4413362	smart stove/ GSSV3			
			Certific	cate Issued date:-	22 nd Dec 2016 Refer S.N 48 (ICS 1273 certificate		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performanter as per test of by NIBC 201	conducted	Photograph of Stove
		Manufacturer Name Manufacturer Address	Greenway Gramin Infra Pvt Ltd. Navi Mumbai, India	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%) High Power CO (g/MJ _d)	30 4.52	
5.	ICS1133 (Imported)	Local supplier Local supplier Address:	Smart power pvt.Ltd Ganesh sadan, Tridevi Marg, Thamel, Kathmandu	Model:- Greenway Jumbo Stove/JS1	High Power PM 2.5(mg/MJd) Safety	86.50 out of 100	Teenmay Greenmay
		Local supplier contact no:	01-4413263/4413362	. Stove/JS1			
			Certif	icate Issued date:-	22 nd Dec 2010 Refer S.N 49 (ICS 12 new certificat	272) for	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performanteer as per test of by NIBC 201	conducted	Photograph of Stove
		Applicant Name	Chaitya Metal work shop	Metallic /Single Pot Hole/Rocket Natural	High power Thermal efficiency (%)	26.90	
	ICS1141 (Local)	Applicant address	Dhalko, Chetrapati- 17, Kathmandu	Draft Model:-	High Power CO (g/MJ _d)	2.05	IcS1141
6.		contact No	+9779841268565	- CMR2	High Power PM 2.5(mg/MJd)	214.81	
					Safety	80.5 out of 100	
			Certif	icate Issued date:-	9 th Jan 2017 (This stove certificate is valid)		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Applicant Name	Chaitya Metal work shop	Metallic /Single Pot Hole/Rocket Natural	High power Thermal efficiency (%)	29.10	Ics1:43
	ICS1143 (Local)	Applicant address	Dhalko, Chetrapati- 17, Kathmandu	Draft	High Power CO (g/MJ _d)	3.68	
7.	(Local)	Contact No	+9779841268565	Model:- CMR4	High Power PM 2.5(mg/MJd)	500.53	Charles .
					Safety	88.5 out of 100	JAHEN 1
			Certific	ate Issued date:-	15 th Jan 20 (This stove certificate valid)		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform		Photograph of Stove
					parameter as per test of by NIBC 201		
8.	ICS1147 (Imported)	Manufacturer Name Manufacturer Address Local supplier Local supplier Address: Local supplier contact no:	Henan Sencer Import and Export Trading Co. Ltd Zhengzhou, Henan, China Vishakha Multipurpose Pvt. Ltd Shankhamul, Kathmandu +977 9851079371	Metallic /Single Pot Hole/Rocket Natural Draft Model:- SSM-SS	High power Thermal efficiency (%) High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd) Safety	3.03 505.78 89.5 out of 100	SSM GOOK
			Certif	icate Issued date:-	19 th Jan 2017 (This stove certificate is valid)		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfor parameter as per conducted by NIB	r test	Photograph of Stove
		Applicant Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot	High power Thermal efficiency (%)	30.29	
		Applicant address	Birgunj-11, Parsa, Nepal	Hole/Rocket Natural Draft	High Power CO (g/MJ _d)	2.94	
	ICS1148 (Local)	Applicant Contact No	+977 9851134169		High Power PM 2.5(mg/MJd)	300.19	ICS 1148
				Model:- HPNJE-01ND	C. C.	89.5 out	
9.					Safety	of 100	
			Certific	cate Issued date:-	18 th Jan 201	L 7	
					Refer S.N 51 (ICS 12 S.N 65 (ICS 1329) 8	-	
					(ICS 1383) for a certificates.	new	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2016	onducted	Photograph of Stove
	ICS1151 (Imported)	Manufacturer Name Manufacturer Address Local supplier	Hotpoint Energy Technologies Pvt. Ltd North Kurunagappally kerala, India M.N International	Metallic/single Pot Hole/ Rocket/ Natural Draft	Pot Hole/ Rocket/efficiency (%)High Power CO2.14	ICS 1.51	
10.	(imported)	Local supplier Address:	Kathmandu, Nepal	Model:- Micro Hotpoint HP-CS-2	Safety	89.50 Out of 100	
		Local supplier contact no:	+977 9851023972	111 05 2			
			Certific	cate Issued date:-	23 rd Jan 2017 (This stove certifica longer valid)	te is no	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2010	onducted	Photograph of Stove
		Manufacturer Name	Green Vitality Solution Industries	Metallic/single Pot Hole/	High power Thermal efficiency (%)	27.05	4030
		Manufacturer Address	Delhi, India	Rocket/ Natural Draft	High Power CO (g/MJ_d)	4.30	ICS 1153
	ICS1153 (Imported)	Local supplier	PSS energy Pvt. Ltd		High Power PM 2.5(mg/MJd)	380.50	THE STATE OF THE S
11.		Local supplier Address:	Sano Bharyang-15, Kathmandu	Model:- Adhunik Chula /SP26ND	Safety	81.5 out of 100	
		Local supplier contact no:	+977-01-4272877	,5120112			
			Certific	cate Issued date:-	26 th Jan 2017 (This stove certifica longer valid)	te is no	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2016	onducted	Photograph of Stove
	ICS1154 (Imported)	Manufacturer Name Manufacturer Address Local supplier	Envirofit India Pvt. Ltd. Pune-411021, Maharashtra, India Future Now Pvt. Ltd.	Metallic/single Pot Hole/ Rocket/ Natural Draft	High power Thermal efficiency (%) High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd)	25.54 4.15 443.74	Ic SL154
12.	(imported)	Local supplier Address:	Jwagal-10, Kupondol, Lalitpur	Model:- Envirofit PCS	Safety	86.50 out of 100	
		Local supplier contact no:	Tel: +977 01- 5553870, 5550452	2mmoju 1 es			
	Certificate Issued date:-				7 th Feb 2017		
					(This stove certificate is no longer valid)		

S.N	RETS ID	Manufacturer	/ Developers Details	Type/ Model	Mandatory Perforn parameter as per test co by NIBC 2016	onducted	Photograph of Stove
		Manufacturer Name	Tanu Solutions Pvt. Ltd.	Metallic/single Pot Hole/	High power Thermal efficiency (%)	25.17	
	ICS1155 (Imported)	Manufacturer Address	Gujarat, India	Rocket/ Natural Draft	High Power CO (g/MJ_d)	3.81	165.1155 xcs129
		Local supplier	Environment Protection Center Nepal		High Power PM 2.5(mg/MJd)	420.31	The Section of Section
13.		Local supplier Address:	Chandrapur-1, Rautahat, Nepal	Model:- NIRMAL	Safety	89.50 out of 100	
		Local supplier contact no:	Tel: +977 9851120128				
			Certific	cate Issued date:-	1 st March 2017 (This stove certification longer valid)	te is no	

S.N	RETS ID	Manufacture	c/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 201	conducted	Photograph of Stove
		Manufacturer Name Manufacturer	Henan Sencer Import and Export Trading Co. Ltd Zhengzhou, Henan,	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%) High Power CO	31.51 4.94	
	ICS1152 (Imported)	Address Local supplier	China Vishakha Multipurpose Pvt. Ltd	Model:- SSM-GA	(g/MJ _d) High Power PM 2.5(mg/MJd)	302.85	SSMATON
14.		Local supplier Address:	Shankhamul, Kathmandu +977 9851079371		Safety	89.5 out of 100	
		contact no:	Certif	icate Issued date:-	4 th April 2017 (This stove certification		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfo parameter as per tes by NIBC 2	st conducted	Photograph of Stove
	ICS1142 (Local)	Applicant Name	Chaitya Metal work shop	Metallic /Single Pot Hole/Rocket Natural	High power Thermal efficiency (%)	26.55	
15.		Applicant address	Dhalko, Chetrapati- 17, Kathmandu	Draft Model:- CMR3	High Power CO (g/MJ _d)	4.97	ICS1.142
13.		Contact No	+9779841268565		High Power PM 2.5(mg/MJd)	408.25	
					Safety	82.5 out of 100	
	Certifica			te Issued date:-	23 rd Apr 20	017	
					(This stove certification longer value)		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Manufacturer Name Manufacturer	Greenway Gramin Infra Pvt Ltd. Navi Mumbai, India	Metallic /Single Pot Hole/Rocket Natural	High power Thermal efficiency (%) High Power CO	29.8 3.55	
	ICS1156 (Imported)	Address	rvavi iviamoai, maia	Draft	(g/MJ _d)	3.33	C
		Local supplier	Smart power Pvt. Ltd		High Power PM 2.5(mg/MJd)	328.79	LCS 1156
16.		Local supplier Address:	Ganesh sadan, Tridevi Marg, Thamel, Kathmandu	Model:- Greenway Smart Stove/SP1	Safety	85.50 out of 100	
		Local supplier contact no:	01-4413263/4413362				
			Certif	icate Issued date:-	4 th Apr 2017 (This stove certifica longer valid)		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2016	onducted	Photograph of Stove
17.	ICS1173 (Imported)	Manufacturer Name Manufacturer Address Local supplier Local supplier Address: Local supplier contact no:	Mimi Moto Mimi Moto BV, Duinzoom 20-a,3233 EG Oostvoorne, The Netherlands Charge Nepal Pvt. Ltd. Pokhara, Nepal Tel: +977- 9823131037	Biomass / Forced Draft / Metallic /One pot/Gasifier Stove Model:- Mimi Moto	High power Thermal efficiency (%) High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd) Safety	49.39 2.07 55.45 98.00 out of 100	mimi & moto
			Certific	ate Issued date:-	11 th April 201 Refer S.N 91 (ICS 1371) certificate with differen supplier	for new	Tested with pellet

S.N	RETS ID	Manufacturer	/ Developers Details	Type/ Model	Mandatory Perfor		Photograph of Stove
					parameter as per test of by NIBC 201		
		Manufacturer Name	Shengzhou Huimei International Trade Co Ltd.	Metallic /Single Pot Hole/Rocket Natural	High power Thermal efficiency (%)	30.41	
	ICS1172	Manufacturer Address	Nongxi Bridge, Ganlin Town, Shengzhou, China	Draft	High Power CO (g/MJ _d)	4.94	SSM COOK. 1172
18.	(Imported)	Local supplier	MinErgy Pvt. Ltd.	Model:- SSM/S32-11	High Power PM 2.5(mg/MJd)	453.13	
10.		Local supplier Address:	Gusingal, Lalitpur		Safety	84.5 out of 100	
		Local supplier contact no:	+977 01- 5555714/5555715				
			Certif	icate Issued date:-	28 th Apr 201 (This stove certifica longer valid	ate is no	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfor parameter as per test of by NIBC 201	conducted	Photograph of Stove
		Designer:	Alternative Energy Promotion Center (AEPC)	Biomass/2- pothole / Metallic/Natural Draft /with Chimney	High power Thermal efficiency (%)	18.17	
	ICS1123 (Local)	Address:	Khumaltar Height , Lalitpur , Nepal		High Power CO (g/MJ _d)	0.44*	
19.		Contact No:	+9771-5539390, 5539391	Model: AEPC/2-pot MICS	High Power PM 2.5(mg/MJd)	30.92*	Kacar, K
					Safety	83.5 out of 100	· Alb. B. W. o.
			Certif	icate Issued date:-	26 th Feb 2017	7	
					Refer <u>S.N 71 (ICS 1</u>		
				S.N 72 (ICS 1350) for new			
					certificates		

^{*} Fugitive Emission value only, excluding emission from the chimney outlet

RETS ID	Manufacture	·/ Developers Details	Type/ Model	parameter as per test o	conducted	Photograph of Stove
	Designer:	Alternative Energy Promotion Center (AEPC)	Biomass/3- pothole / Metallic/Natural	High power Thermal efficiency (%)	22.35	
ICS1124 (Local)	Address:	Khumaltar Height , Lalitpur , Nepal	Draft /with Chimney Model:	High Power CO (g/MJ _d)	0.28*	
	Contact No:	+9771-5539390, 5539391		High Power PM 2.5(mg/MJd)	39.83*	
			AEPC/3-pot MICS	Safety	83.5 out of 100	
		Certifi	cate Issued date:-	(This stove certifica	ate is no	
	ICS1124	Designer: Address: ICS1124 (Local)	Designer: Alternative Energy Promotion Center (AEPC) Address: Khumaltar Height, Lalitpur, Nepal Contact No: +9771-5539390, 5539391	ICS1124 (Local) Designer: Alternative Energy Promotion Center (AEPC) Khumaltar Height, Lalitpur, Nepal Contact No: +9771-5539390, 5539391 Model: AEPC/3-pot	Designer: Alternative Energy Promotion Center (AEPC) Address: Khumaltar Height , Lalitpur , Nepal Contact No: +9771-5539390, 5539391 Certificate Issued date:- Certificate Issued date:- Designer: Alternative Energy Promotion Center (AEPC) Metallic/Natural Phigh power Thermal efficiency (%) High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd) Safety Certificate Issued date:- (This stove certificate)	Designer: Alternative Energy Promotion Center (AEPC) Address: Khumaltar Height , Lalitpur , Nepal Contact No: +9771-5539390, 5539391 Contact No: -9771-5539390, Model: AEPC/3-pot MICS Alternative Energy Promotion Center (AEPC) Metallic/Natural Draft /with Chimney High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd) 39.83* Model: AEPC/3-pot MICS

^{*} Fugitive Emission value only, excluding emission from the chimney outlet

S.N	RETS ID	Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Designer:	CDRMP/UNDP Nepal / UN House	2-Pot Mud / Natural draft with chimney	High power Thermal efficiency (%)	20.60	
	ICS1181 (Local)	Address:	Pulchowk, Lalitpur	Model: UNDP-01 (use of	High Power CO (g/MJ _d)	0.31*	
21.		Contact No:	Tel:+ 977-01- 5529545 ramraj.narasimhan@u	Air supply disc as grate in Combustion	High Power PM 2.5(mg/MJd)	31.13*	
			ndp.org	chamber	Safety	97 out of 100	
			Certifi	cate Issued date:-	16 th Aug 2017 (This stove certifica longer valid)	te is no	

^{*} Fugitive emissions value only, excluding emission from the chimney outlet

S.N	RETS ID	Manufacture	er/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
	ICS1182 (Local)	Designer:	CDRMP/UNDP Nepal / UN House	2-Pot Mud / Natural draft with chimney	High power Thermal efficiency (%)	22.61	
22.		Address:	Pulchowk, Lalitpur	<i>Model:</i> UNDP-02 (use of	High Power CO (g/MJ _d)	1.30*	
22.		Contact No:	Tel:+ 977-01- 5529545 ramraj.narasimhan@u	Rod structure as a grate in Combustion	High Power PM 2.5(mg/MJd)	34.69*	
			ndp.org	chamber)	Safety	97 out of 100	**************************************
			Certifi	cate Issued date:-	16 th Aug 2017 (This stove certific a		
					longer valid		

^{*} Fugitive emissions value only, excluding emission from the chimney outlet

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
	ICS1183	Local Supplier:	Alpha Renewable Energy Pvt. Ltd., Gujarat , India Kalpavriksha Greater Goods Pvt. Ltd.	Biomass / Forced Draft / Metallic /One pot/Gasifier Stove	High power Thermal efficiency (%)	36.28	
23.	(Imported)	Local supplier Address:	Ratnagar-18, Sauraha, Chitwan	Model:-	High Power CO (g/MJ _d)	4.44	
23.		Local supplier Contact No:	+977-01- 4415821/9841931275	Eco Domestic Chulo -XXL	High Power PM 2.5(mg/MJd)	205.71	
					Safety	85 out of 100	
			Certific	cate Issued date:-	21 st Aug 2017 (This stove certifica longer valid	ite is no	Tested with Wood chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Applicant Name	Srijansil Mahila Udhyog	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%)	31.92	
24.	ICS1184 (Local)	Applicant address	Tarakeshwor-21, Kathmandu, Nepal	Model:- White Stove-2	High Power CO (g/MJ _d)	9.35	
24.		Contact No:	+977-9807570001		High Power PM 2.5(mg/MJd)	501.72	
					Safety	85 out of 100	
			Certif	icate Issued date:-	21 th Aug 2017 Refer S.N 53 (ICS 1295		
					certificate	oj jui new	

S.N	RETS ID	Manufacture	er/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Applicant Name	Gramin Urja Tatha Prabidhi Sewa Kendra Pvt.Ltd (RETSC) – <i>via</i> <i>NEEPII/GIZ</i>	Biomass / Natural Draft / Metallic /One pot Rocket Institutional	High power Thermal efficiency (%)	30.82%	
	ICS1159 (Local)	Applicant address	Bhanimandal Lalitpur	Model:- RETSC-RSL	High Power CO (g/MJ _d)	3.07	
25.		Contact No:	Tel:+ 015547627/ 9847026900	RETSC-RSL	High Power PM 2.5(mg/MJd)	330.04	
					Safety	79 out of 100	
			Certifi	cate Issued date:-	28 th March 2017 (This stove certifica longer valid		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Applicant Name	NEEPII/GIZ	Biomass / Natural Draft / Metallic /One pot Rocket Institutional	High power Thermal efficiency (%)	25.25%	
26.	ICS1161 (Imported)	Applicant address	Khumaltar ,Lalitpur	<mark>Model:-</mark> Orka Institutional	High Power CO (g/MJ _d)	2.77	
20.		Contact No:			High Power PM 2.5(mg/MJd)	403.95	
				Stove	Safety	75 out of 100	
			Certifi	cate Issued date:-	28 th March 2017 (This stove certification longer valid		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 201	conducted	Photograph of Stove
		Applicant Name:	Shree Dhungeshwori Mechanical Workshop	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%)	25.52%	C - CCURE 3
	ICS1185 (Local)	Applicant address:	Jiri-5, Dolakha	Model:- ABIRA Stove	High Power CO (g/MJ _d)	8.34	ICS 118
27.		Contact No:	+977-9808013451		High Power PM 2.5(mg/MJd)	409.63	
					Safety	79 out of 100	
			Certifi	icate Issued date:-	10 th September 20 (This stove certifica longer valid	ate is no	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfor parameter as per test of by NIBC 201	conducted	Photograph of Stove
		Applicant Name:	JBS Urja Pvt. Ltd	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%)	25.63	
	ICS1188 (Local)	Applicant address:	Katahari-01, Morang	Model:- AMAHI-03	High Power CO (g/MJ _d)	7.15	
28.		Contact No:	+977-9862064019		High Power PM 2.5(mg/MJd)	415.82	
					Safety	83.5 out of 100	
			Certifi	cate Issued date:-	18 th September 20 (This stove certification longer valid	ate is no	

S.N	RETS ID	Manufacture	c/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Applicant Name:	Jhankar Multiple Concern Pvt. Ltd	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%)	28.34	
29.	ICS1189 (Local)	Applicant address:	Ashram Marg-63, Balkhu, Kathmandu	Model:- CNJ-R2 NP	High Power CO (g/MJ _d)	5.65	
29.		Contact No:	+977 9851037015		High Power PM 2.5(mg/MJd)	298.08	
					Safety	87.5 out of 100	
			Certifi	cate Issued date:-	24 th September 2 (This stove certification longer valid	ate is no	

S.N	RETS ID	Manufacture	er/ Developers Details	Type/ Model	Mandatory Performant parameter as per test of the NIBC 201	conducted	Photograph of Stove
		Applicant Name:	ActSeven Overseas	Metallic /Single Pot Hole/Rocket Natural	High power Thermal efficiency (%)	25.47	
	ICS1192 (Imported)	Applicant address:	5-Navarangpara, Mavdi Plot Rajkot , India	Draft Model:-	High Power CO (g/MJ _d)	5.35	S SHURL
30.		Contact No:	+91-281-2360306, +91-9712900729	SHUBH STOVE	High Power PM 2.5(mg/MJd)	365.89	
					Safety	83.5 out of 100	
			Certif	icate Issued date:-	12 th October 201	.7	A
					(This stove certification)	ate is no	V
					longer valid)	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove
		Manufacturer Name	Envirofit India Pvt. Ltd.	Metallic /Single Pot Hole/Rocket	High power Thermal efficiency (%)	25.77	
		Manufacturer Address	Pune-411021, Maharashtra, India	Natural Draft			
	ICS1194 (Imported)	Local supplier	Future Now Pvt. Ltd.	Model:- Envirofit PCS-1	High Power CO (g/MJ _d)	5.57	
31.		Local supplier Address:	Jwagal-10, Kupondol, Lalitpur		High Power PM 2.5(mg/MJd)	463.12	
		Local supplier contact no:	Tel: +977 01- 5553870, 5550452		Safety	86.5 out of 100	
			Certifi	cate Issued date:-	13 th October 2017 (This stove certifica longer valid)	ite is no	

S.N	RETS ID	Manufacturer/	Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 201	conducted	Photograph of Stove
		Manufacturer Name	Sai Grameen Udhyog	Metallic /Single Pot Hole/	High power Thermal	28.79	
	ICC1102	Manufacturer Address	201 Indra Complex Mavai Road Faridabad, India	Natural Draft	efficiency (%)		SAI URA
22	ICS1193 (Imported)	Local supplier	Lotus Enterprises	Model:- GVK 0.65	High Power CO (g/MJ_d)	5.75	Since Store
32.		Local supplier Address:	Shantinagar-34, Baneshwor,		High Power PM 2.5(mg/MJd)	342.47	
		Local supplier	+977-9851085279				
		contact no:			Safety	75.5 out of 100	
			Certifi	icate Issued date:-	15 th October 201		
					(This stove certifica longer valid		

S.N	RETS ID	Manufacturer/	Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove
33.	ICS1198 (Local)	Applicant Name: Applicant address: Applicant Contact No:	Krishna Grill & Gngg. Works Pvt. Ltd. Biratnagar, Nepal. 021-471492	Metallic /Single Pot Hole/ Natural Draft Model:- KGEW-02	High power Thermal efficiency (%) High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd) Safety	3.79 351.47 83 out of 100	
			Certifi	icate Issued date:-	18 th December 20 (This stove certifica longer valid)	ite is no	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test of by NIBC 201	conducted	Photograph of Stove
		Manufacturer Name	Swami Samarth Electronics Pvt. Ltd.	Metallic /Single Pot Hole/Rocket	High power Thermal efficiency (%)	29.6	
		Manufacturer Address	Ambad, Nasik-10, Maharastra, India	Natural Draft			
34.	ICS1203 (Imported)	Local supplier	Nushant Distributors Pvt. Ltd.	<mark>Model:-</mark> Agnika ND Eco Mini Stove	High Power CO (g/MJ_d)	2.13	
J4.		Local supplier Address:	Dharan-12, Sunsari, Nepal	. Mim Stove	High Power PM 2.5(mg/MJd)	424.37	
		Local supplier contact no:	+977-9852055651		Safety	77.5 Out of 100	7
			Certifi	icate Issued date:-	3 rd January 2018 (This stove certificate is no longer valid)		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 201	conducted	Photograph of Stove
		Manufacturer Name	Sai Grameen Udyog	Metallic /Single Pot Hole/ Natural	High power Thermal efficiency (%)	30.5	The second secon
		Manufacturer Address	Faridabaad, India	Draft			
35.	ICS1205 (Imported)	Local supplier	Adwell International Pvt. Ltd.	Model:- GVK0.65 SS-2	High Power CO (g/MJ _d)	4.48	
		Local supplier Address:	Shantinagar-34, kathmandu		High Power PM 2.5(mg/MJd)	495.59	
		Local supplier contact no:	+977-9851017958		Safety	81.5 out of 100	
			Certifi	icate Issued date:-	9 th January 2018 Refer S.N 62 (ICS 1312		
					certificate		

S.N	RETS ID	Manufacture	er/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove
		Applicant Name	Sagun Steel Industies	Metallic /Rocket Natural	High power Thermal efficiency (%)	26.40	
		Applicant Address	Purano Naikap-8, Kathmaudu	Draft Model:-			C TITO
	ICS1206 (Local)	Contact no	+977-9851073438	Sagun Rocket Stove /SRS-02	High Power CO (g/MJ _d)	2.75	
36.					High Power PM 2.5(mg/MJd)	379.77	
					Safety	78 out of 100	
			Certifi	cate Issued date:-	19 th January 2018 (This stove certifica longer valid)	ite is no	

S.N	RETS ID	Manufacturei	·/ Developers Details	Type/ Model	Mandatory Performance parameter as per test of by NIBC 201	conducted	Photograph of Stove
		Manufacturer Name	VERITY WORKS	Metallic /Single Pot Hole/Batch	High power Thermal efficiency (%)	34.06	
		Manufacturer Address	No.6, Kribanandha Variyar Street, Chennai, India	feeding Natural Draft Model:-			
37.	ICS1207 (Imported)	Local supplier	JBS Urja Pvt. Ltd.	AVAJOKA (with combustor)	High Power CO (g/MJ _d)	4.66	
		Local supplier Address:	Katahari-1, Morang		High Power PM 2.5(mg/MJd)	412.17	COOKA)
		Local supplier contact no:	+977-21-538462		Safety	92.5 out of 100	
			Certif	icate Issued date:-	15 th December 2017 (This stove certification longer valid		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 201	conducted	Photograph of Stove
		Manufacturer Name	Sai Grameen Udhyog	Metallic /Single Pot Hole/	High power Thermal efficiency (%)	30.23	
	VOC1411	Manufacturer Address	201 Indra Complex, Jevan Nagar Faridabad, India	Natural Draft Model:-			
38.	ICS1211 (Imported)	Local supplier	Lotus Enterprises /Shantinagar-34,	GVK 0.65-1	High Power CO (g/MJ_d)	5.81	
		Local supplier Address:	Baneshwor, Kathmandu		High Power PM 2.5(mg/MJd)	502.33	
		Local supplier contact no:	+977-9851085279		Safety	77.5 out of 100	
			Certifi	cate Issued date:-	14 th February 201s (This stove certification longer valid	ite is no	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfor parameter as per conducted by NIB	r test	Photograph of Stove
		Applicant Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot	High power Thermal efficiency (%)	41.24	
	TCG1222	Applicant address	Birgunj-11, Parsa, Nepal	Hole/Force Draft	High Power CO (g/MJ _d)	4.35	
39.	ICS1222 (Local)	Applicant Contact No	+977 9851134169	Model:- HPNJE-01FD	High Power PM 2.5(mg/MJd)	157.35	
					Safety	89.5 out of 100	V JACY
			Certific	cate Issued date:-	28 th Jun 2018 Refer S.N 63 (ICS S.N 87 (ICS1373) & (ICS 1391) for new c	1295), S.N.105	Tested with wood chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfor parameter as per conducted by NIB	r test	Photograph of Stove
		Applicant Name	Nepal Energy Development Company Pvt. Ltd.	Metallic /Single Pot Hole/Natural	High power Thermal efficiency (%)	28.09	
	TCC1240	Applicant address	Baphal, Kathmandu	Draft	High Power CO (g/MJ _d)	5.445	
40.	ICS1249 (Local)	Applicant Contact No	+9771-4270163	Model:- NEDCO-RS-1	High Power PM 2.5(mg/MJd)	409.239	
					Safety	82.5 out of 100	
			Certific	ate Issued date:-	1 st October 2018 (This stove certific longer valid		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Applicant Name	Supreme Solar Pvt. Ltd.	Metallic /Single Pot	High power Thermal efficiency (%)	26.32	
		Applicant address	Sanepa, Lalitpur	Hole/ Natural Draft	High Power CO (g/MJ _d)	5.41	COLATION OF THE STATE OF THE ST
41.	ICS1250 (Local)	Applicant Contact No	01-5541036	Model:- EMS 1	High Power PM 2.5(mg/MJd)	296.26	
					Safety	85.5 out of 100	
			Certific	ate Issued date:-	28 th October 2018 (This stove certificat longer valid)	te is no	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name	Ganesha Cookstove Project (GCP), LLC	Metallic /Single Pot Hole/	High power Thermal efficiency (%)	32.30	
	7001071	Manufacturer Address	PO Box 3086, Crested Butte, CO 81224, USA	Natural Draft Model:-			
42.	ICS1254 (Imported)	Manufacturer contact no:	+19707992571	Ganesha 4.2 N	High Power CO (g/MJ _d)	5.34	
					High Power PM 2.5(mg/MJd)	240.71	
					Safety	87.5 out of 100	Tested with Sunken pot provided by manufacturer
			Certifi	icate Issued date:-	18 th November 2 Refer S.N 70 (ICS 134.		manaractarer
					certificate	z, joi new	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name	Shengzhou Stove Manufacturer	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%)	37.57	
		Manufacturer Address	Ganlin Town, Shengzhou, China	Draft Model:-			
43.	ICS1252 (Imported)	Local supplier	Jhankar Multiple Concern	Fan Stove-1	High Power CO (g/MJ _d)	0.33	
43.		Local supplier Address:	Balkhu, Kathmandui		High Power PM 2.5(mg/MJd)	30.82	
		Local supplier contact no:	+977 9818726993		Safety	93 out of 100	
			Certifi	cate Issued date:-	19 th November 2018 (This stove certifica	te is no	Tested with pellet
					longer valid)		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove
		Manufacturer Name	Nugreen Energy Pvt. Ltd.	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%)	40.70	
	ICS1256	Manufacturer Address	New Delhi, India	Draft Models			
44.	(Imported)	Local supplier	NA	Model:- NG110	High Power CO (g/MJ _d)	5.71	
17.		Local supplier Address:	NA		High Power PM 2.5(mg/MJd)	149.82	TO MATERIAL STATES
		Local supplier contact no:	NA		Safety	91 out of 100	
			Certifi	cate Issued date:-	9 th December 2018 (This stove certifica	ite is no	Tested with pellet
					longer valid)	

S.N	RETS ID	Manufactu	rer/ Developers Details	Type/ Model	Mandatory Perfor parameter as per test by NIBC 201	conducted	Photograph of Stove
		Local Manufacturer Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot	High power Thermal efficiency (%)	27.72	
	7.0014.c=	Manufacturer Address	Birjunj , Parsa	Hole/ Natural			Clean Homes Investment PV. Ltd.
	ICS1267 (Local)	Local supplier	Clean Homes Investment Pvt. Ltd.	draft Model:-	High Power CO (g/MJ _d)	6.19	and No. Com
45.		Local supplier Address:	Sanobharyang-16, Kathmandu	CRBC01	High Power PM 2.5(mg/MJd)	488.81	
		Local supplier contact no:	Tel:+ 01- 4673198/9841463626		Safety	89.5 Out of 100	
			Certificate l	Issued date:-	31 st January 2019		
					(This stove certifica longer valid		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfor parameter as per test by NIBC 201	conducted	Photograph of Stove
		Manufacturer Name Manufacturer Address	Green Vitality Solution Industries Nihal Vihar, Delhi- 110041, India	Metallic /Single Pot Hole/ Natural draft	High power Thermal efficiency (%)	25.39	
	ICS1268 (Imported)	Local supplier	Kulayan Energy Pvt. Ltd.	Model:- KEP31NP	High Power CO (g/MJ _d)	5.40	
46.		Local supplier Address:	ansthali-16, Balaju Kathmandu		High Power PM 2.5(mg/MJd)	510.18	
		Local supplier contact no:	ansthali-16, Balaju Kathmandu <u>energykulayan@hotmail</u> .com		Safety	81.5 Out of 100	
			Certifi	cate Issued date:-	1 st February 20 (This stove certific		
					longer valid		

S.N	RETS ID	Manufacture	er/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Local Manufacturer Name	Himalaya Metal Industries	Metallic /Single Pot	High power Thermal efficiency (%)	28.31	
		Manufacturer Address	Nagarjun, Np-10	Hole/ Force Draft			
47.	ICS1270 (Imported)	Local supplier	Sunshine Energy Pvt. Ltd	Model:- SUNSHINE- 02	High Power CO (g/MJ _d)	3.91	
		Local supplier Address:	Samakhushi-3, Kathmandu	02	High Power PM 2.5(mg/MJd)	491.78	
		Local supplier contact no:	01-4383095/4353538 info@sunshine.com.np		Safety	84.5 Out of 100	
			Certifica	ate Issued date:-	13 th February 2 (This stove certifica longer valid	ate is no	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co by NIBC 2016	onducted	Photograph of Stove
		Manufacturer Name	Greenway Gramin Infra Pvt Ltd.	Metallic/single Pot Hole/ Rocket/ Natural Draft	High power Thermal efficiency (%) @ Firepower = 4.51 KW	29.48	
	1001272	Manufacturer Address	Navi Mumbai, India		High Power CO (g/MJ _d)	3.68	The second second
	ICS1273 (Imported)	Local supplier	Smart Power pvt.Ltd	Model:-	High Power PM 2.5(mg/MJd)	495.40	
48.		Local supplier Address:	Ganesh sadan, Tridevi Marg, Thamel, Kathmandu	Greenway smart stove/ GSSV3	Safety	87 out of 100	
		Local supplier contact no:	01-4413263/4413362				
			Certific	eate Issued date:-	10 th March 201 (This stove certificat longer valid)	te is no	

S.N	RETS ID	Manufacture	/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2010	onducted	Photograph of Stove
		Manufacturer Name	Greenway Gramin Infra Pvt Ltd.	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%) @ Firepower = 4.39 KW	30.54	
	ICS1272	Manufacturer Address	Navi Mumbai, India	-	High Power CO (g/MJ _d)	3.46	Greenway
	(Imported)	Local supplier	Smart power pvt.Ltd	Model:- Greenway	High Power PM 2.5(mg/MJd)	463.04	
49.		Local supplier Address:	Ganesh sadan, Tridevi Marg, Thamel, Kathmandu	Jumbo Stove/JS1	Safety	86.50 out of 100	
		Local supplier contact no:	01-4413263/4413362				
			Certifi	icate Issued date:-	10 th March 2019	to is no	
					(This stove certifica longer valid)		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2016	onducted	Photograph of Stove
		Local Manufacturer Name	Nepal Energy Development Company Pvt. Ltd.	Metallic/single Pot Hole/ Force Draft/ Institutional Stove	High power Thermal efficiency (%) @ Firepower = 8.87 KW	36.86	NIND
50.	ICS 1276 (Local)	Local Manufacturer Address	Tinkune, kathmandu	Model:- NEDCO/IBBS -01	High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd) Safety	2.85 209.99 77 out	NE DCO
		Local supplier contact information:	01-4112414 nedcoirdc@gmail.com		•	of 100	
			Certific	ate Issued date:-	17 th March 201 (This stove certifica longer valid)	te is no	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test by NIBC 20	conducted	Photograph of Stove
	ICS1281 (Local)	Applicant Name Applicant address Applicant Contact No	Husk Power Nepal Pvt. Ltd Birgunj-11, Parsa, Nepal +977 9851134169	Metallic /Single Pot Hole/Rocket Natural Draft Model:- HPNJE-01ND	High power Thermal efficiency (%)@ Firepower 4.06 KW High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd)	30.97 4.13 419.52	
51.					Safety	86.5 out of 100	
			Certific	cate Issued date:-	5 th May 20 Refer S.N 65 (ICS 13 97 (ICS1383) fo certificate	29) & S.N r new	

S.N	RETS ID	Manufacture	Manufacturer/ Developers Details		Type/ Model Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name	Shengzhou Stove Manufacturer	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%)@ <u>Firepower 4.37 KW</u>	50.89	
		Manufacturer Address	Ganlin Town, Shengzhou, China	Draft Model:-			
7 0	ICS 1296 (Imported)	Local supplier	Smart Power Pvt. Ltd.	SSM COOK/ F-28	High Power CO (g/MJ _d)	2.43	
52.		Local supplier Address:	Thamel, Kathmandu		High Power PM 2.5(mg/MJd)	146.55	
		Local supplier contact no:	+977-4413263 babin@smartpower.com.np		Safety	95 out of 100	Tested with pellet
			Certifi	cate Issued date:-	21 st August 2019		
					(This stove certificate longer valid)	is no	

S.N	RETS ID	Manufacture	/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove
		Applicant Name	Srijansil Mahila Udhyog	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%)(%)@ Firepower 2.8 KW	31.94	
	ICS 1295 (Local)	Applicant address	Tarakeshwor-21, Kathmandu, Nepal	Model:- White Stove-2	High Power CO (g/MJ _d)	8.86	
53.		Contact No:	+977-9807570001		High Power PM 2.5(mg/MJd)	496.52	
					Safety	85 out of 100	
			Certif	icate Issued date:-	3 rd September 2019		
					(This stove certifica		
					longer valid))	

S.N	RETS ID	Manufacturer/	Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove
		Applicant Name:-	Adwell International Pvt. Ltd.	Metallic /Single Pot Hole/ Force Draft	High power Thermal efficiency (%)@	35.76	
		Applicant Address:-	Ghattekulo, Kathamandu		<u>Firepower 8.12 KW</u>		
54.	ICS 1199 (Local)			Model:- AIP-FD-SS-1A	High Power CO (g/MJ _d)	4.74	Adwell International Pvt.Ltd. Model No AIP-FO-SS-1A
		Contact No:	+9779851017958		High Power PM 2.5(mg/MJd)	200.67	
					Safety	85 Out of 100	
			Certifi	icate Issued date:-	4 th September 2019 (This stove certification longer valid)		Tested with Wood Chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	del Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name	Sai Grameen Udhyog	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%) @ <i>Firepower 6.33 KW</i>	37.06	
	ICS 1313	Manufacturer Address	201 Indra Complex, Jevan Nagar Faridabad, India	draft Model:- FD-MSS-304			Model No.SAIURJA-FD-MSS-304
55.	(Imported)	Local supplier	M.N International		High Power CO (g/MJ _d)	7.07	
		Local supplier Address:	Balaju-16, Kathmandu		High Power PM 2.5(mg/MJd)	231.16	
		Local supplier contact no:	+977-9851023972		Safety	86 out of 100	Tested with Wood Chips
			Certifi	cate Issued date:-	17 th March 2020 Refer S.N 85 (ICS 1368)) for new	
					certificate	_	

S.N	RETS ID	Manufacture	er/ Developers Details	Type/ Model	Mandatory Perform		Photograph of Stove
					parameter as per conducted by NIBO		
		Manufacturer Name	Environment Protection Centre	Metallic/single Pot Hole/ Rocket/	High power Thermal efficiency (%) @ Firepower = 6.53 KW	36.92	
		Manufacturer Address	Chandranigahapur-1, Rautahat	Force Draft	High Power CO (g/MJ_d)	2.59	
	ICS 1319 (Local)				High Power PM 2.5(mg/MJd)	229.66	Tel. 2 (12)
56.		Local supplier contact no:	055-540574	Model:- NEP-STAR-I	Safety	84 Out of 100	Tested with Wood Chips
			Certifi	cate Issued date:-	17 th March 2019 (This stove certificationger valid)		

S.N	RETS ID	Manufacture	Manufacturer/ Developers Details Type/ Model		Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
	ICS 1320	Manufacturer Name Manufacturer address Applicant	Supreme Solar Pvt. Ltd. Sanepa, Lalitpur 01-5541036	Metallic /Single Pot Hole/ Force Draft Model:-	High power Thermal efficiency (%) @ <u>Firepower 6.20</u> KW High Power CO (g/MJ _d) High Power PM	36.82 3.24 185.38	SMART STOVE DO SMART
57.	(Local)	Contact No	01-3341030	EMS 2	2.5(mg/MJd) Safety	85 Out of 100	
			Certific	ate Issued date:-	17 th March 2020 (This stove certifica longer valid	ate is no	Tested with Wood Chips

S.N	RETS ID	Manufacture	er/ Developers Details	Type/ Model	Mandatory Perform	nance	Photograph of Stove
					parameter as per test c	onducted	
					by NIBC 2010	5	
		Manufacturer	SuperNova	Metallic/single	High power Thermal	38.24	
		Name	Technologies Pvt. Ltd.	Pot Hole/	efficiency (%) @		The same of the same of
				Rocket/	Firepower = 5.69 KW		
				Force Draft			
		Manufacturer	Mumbai , India		High Power CO	3.18	
		Address	sntgujarat@yahoo.com		(g/MJ_d)		
	ICS 1321	Local	Smart Power Pvt. Ltd		High Power PM	142.98	
	(Imported)	supplier			2.5(mg/MJd)		
58.		Local supplier Address:	Ganesh sadan, Tridevi Marg, Thamel, Kathmandu	Model:- Smart / SGDEM-S	Safety	86 Out of 100	
		Local supplier contact no:	01-4413263/4413362				Tested with Wood Chips
			Certific	ate Issued date:-	17 th March 2019	1	
					(This stove certifica longer valid)		

S.N	RETS ID	Manufacture	er/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2016	onducted	Photograph of Stove
		Manufacturer Name	SuperNova Technologies Pvt. Ltd.	Metallic/single Pot Hole/ Rocket/ Force Draft	High power Thermal efficiency (%) @ Firepower = 5.24 KW	39.24	
	ICS 1322 (Imported)	Manufacturer Address Local supplier	Mumbai , India sntgujarat@yahoo.com Smart Power Pvt. Ltd		High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd)	(g/MJ _d) igh Power PM 149.65	
59.		Local supplier Address:	Ganesh sadan, Tridevi Marg, Thamel, Kathmandu	Model:- Smart / SGDEM	Safety	80.5 Out of 100	Smart (SGDEM)
		Local supplier contact no:	01-4413263/4413362				Tested with Wood Chips
			Certific	ate Issued date:-	17 th March 2019		
					(This stove certifica longer valid)	te is no	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per conducted by NIBO	test	Photograph of Stove
		Manufacturer Name	Smart Power Pvt. Ltd	Metallic/single Pot Hole/ Rocket/ Force Draft	High power Thermal efficiency (%) @ Firepower = 4.57 KW	43.41	
60.	ICS 1323 (Local)	Manufacturer Address	Ganesh sadan, Tridevi Marg, Thamel, Kathmandu	Ţ	High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd)	3.26	
		Local supplier contact no:	01-4413263/4413362	Model:- Smart / SPFS-1	Safety	82.50 Out of 100	
			Certifi	cate Issued date:-	17 th March 2019 (This stove certification longer valid)		Tested with Wood Chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per conducted by NIB	test	Photograph of Stove
	ICS 1324 (Local)	Manufacturer Name	Nepal Energy Development Company Pvt. Ltd.	Metallic/single Pot Hole/ Rocket/ Force Draft	High power Thermal efficiency (%) @ Firepower = 6.40 KW	38.12	
61.		Manufacturer Address	Tinkune, kathmandu		High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd)	3.68	
		Local supplier contact no:	01-4112414	Model:- NEDCO/ FD2	Safety	85 Out of 100	
		,	Certifi	cate Issued date:-	17 th March 2019 (This stove certificationger valid)	nte is no	Tested with Wood Chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name	Sai Grameen Udyog	Metallic /Single Pot Hole/ Natural Draft Model:- GVK0.65 SS-2	High power Thermal efficiency (%)	30.08	
	ICS1312 (Imported)	Manufacturer Address	Faridabaad, India				
62.		Local supplier	Adwell International Pvt. Ltd.		High Power CO (g/MJ _d)	5.08	
		Local supplier Address:	Shantinagar-34, kathmandu		High Power PM 2.5(mg/MJd)	483.24	
		Local supplier contact no:	+977-9854023972		Safety	75.5 out of 100	
			Certifi	icate Issued date:-	27 th July 2020 (This stove certificate is valid)	no longer	

S.N	RETS ID	RETS ID Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Applicant Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot	High power Thermal efficiency (%)	39.39	
	TGG1220	Applicant address	Birgunj-11, Parsa, Nepal	Hole/Force Draft	High Power CO (g/MJ _d)	3.74	
63.	ICS1330 (Local)	Applicant Contact No	+977 9851134169	Model:- HPNJE-01FD	High Power PM 2.5(mg/MJd)	243.95	
					Safety	88 out of 100	
			Certific	cate Issued date:-	23 rd July 2020 Refer S.N 87 (ICS1373) & (ICS 1391) for new c	S.N.105	Tested with wood chips (Inner layer insulation – Not Provided)

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfor parameter as per		Photograph of Stove
		Applicant Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot	conducted by NIB High power Thermal efficiency (%)	C 2016 38.51	ASSA
	ICS1331	Applicant address	Birgunj-11, Parsa, Nepal	Hole/Force Draft	High Power CO (g/MJ _d)	1.85	
64.	(Local)	Applicant Contact No	+977 9851134169	Model:- HPNJE-02FD	High Power PM 2.5(mg/MJd)	151.61	
					Safety	89.5 out of 100	
			Certific	cate Issued date:-	2 nd August 202 Refer S.N 87 (ICS1373) & (ICS 1391) for new 0	S.N.105	Tested with wood chips (Inner layer insulation – Glass wool insulation Provided)

S.N	RETS ID	Manufacturer/ Developers Details		Type/ Model	Mandatory Perfor		Photograph of Stove
					parameter as per conducted by NIB		
		Applicant Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot Hole/Rocket	High power Thermal efficiency (%)@ Firepower 4.06 KW	28.14	
		Applicant address	Birgunj-11, Parsa, Nepal	Natural Draft	High Power CO (g/MJ _d)	6.39	
65.	ICS1329 (Local)	Contact No	+977 9851134169	Model:- HPNJE-01ND	High Power PM 2.5(mg/MJd)	458.06	
					Safety	82.5 out of 100	
			Certific	cate Issued date:-	6 th Aug 202 (Refer S.N 97 (ICS1 new certificat	383) for	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co	onducted	Photograph of Stove
		Manufacturer Name	Supreme Solar Pvt. Ltd.	Metallic /Single Pot Hole/ Force	by NIBC 2016 High power Thermal efficiency (%) @ Firepower 3.55 KW	37.98	SAMATI STUDE . DOS 15
	ICS 1332	Manufacturer address Contact No	Sanepa, Lalitpur 01-5541036/	Draft	High Power CO (g/MJ _d) High Power PM	5.45 322.04	Security States
66.	(Local)		9851166673	Model:- EMS 11	2.5(mg/MJd)		
					Safety	83.5 Out of 100	
			Certific	ate Issued date:-	13 th Aug 2020 (This stove certificate is n valid)	o longer	Tested with Wood Pieces (Long size)

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co by NIBC 2016	nducted	Photograph of Stove
		Manufacturer Name	Sarweswor Engineering & Innovation Pvt. Ltd.	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%) @ <i>Firepower 8.93 KW</i>	37.96	
		Manufacturer address	Jadibuti-35, Kathmandu	Draft Institutional	High Power CO (g/MJ _d)	1.62	August Ser
67.	ICS 1316 (Local)	Contact No	+977-9841435345	<mark>Model:-</mark> SEI/PGSII	High Power PM 2.5(mg/MJd)	222.76	
					Safety	81.50 Out of 100	
			Certific	ate Issued date:-	9 th Oct 2020 (This stove certificate is n valid)	o longer	Tested with Wood Pieces (Small size)

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co by NIBC 2016	onducted	Photograph of Stove
		Local Manufacturer Name	Supreme Solar Pvt. Ltd.	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%) @ <i>Firepower 5.82 KW</i>	37.16	
	ICS 1339	Local Manufacturer address	Kusunti-13, Lalitpur	Draft	High Power CO (g/MJ _d)	4.85	
68.	(Local)	Contact No	01-5541036/ 9851166673	Model:- VORTEX/VR1	High Power PM 2.5(mg/MJd)	166.01	
					Safety	89 Out of 100	1
			Certific	ate Issued date:-	18 th Nov 2020 (Refer S.N 113 (ICS14 new certificate	108) for	Tested with Wood Pieces (small size)

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co by NIBC 2016	nducted	Photograph of Stove
		Local Manufacturer Name	Jagdamba Engineering Works	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%) @ Firepower 6.29 KW	37.86	
	ICS 1343	Local Manufacturer address	Nepaljung-5, Banke	Draft	High Power CO (g/MJ _d)	2.02	
69.	(Local)	Contact No	+977-9848033670	Model:- JEW-B2021	High Power PM 2.5(mg/MJd)	153.91	
					Safety	89 out of 100	
			Certific	eate Issued date:-	29 th January 202 (This stove certificate is n valid)		Tested with Wood Pieces (small size)

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Manufacturer Name Manufacturer Address	Ganesha Cookstove Project (GCP), LLC PO Box 3086, Crested Butte, CO 81224, USA	Metallic /Single Pot Hole/ Natural Draft Model:-	High power Thermal efficiency (%)@ Firepower 4.29 KW	33.57	1.
	ICS1342 (Imported)	Local Supplier:	Digo bikash Pvt. Ltd	Ganesha 4.2 N	High Power CO (g/MJ _d)	5.34	
70.		Local supplier contact no.	+977-9851035456		High Power PM 2.5(mg/MJd)	272.84	Tested with Sunken
		Manufacturer contact no:	+19707992571		Safety	87.5 out of 100	pot provided by manufacturer 2. Tested with wood
			Certifi	cate Issued date:-	4 th February 2021 (This stove certificate is valid)	no longer	chips (small size)

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performaneter as per test of by NIBC 201	conducted	Photograph of Stove
		Designer:/ Address	Alternative Energy Promotion Center (AEPC),/ Baneshwor, Ktm	Biomass/2- pothole / Metallic/Natural Draft /with Chimney	High power Thermal efficiency (%)@ Firepower 9.79 KW	19.13	
71.	ICS1348 (Local)	Supplier / Address:	Jagadamba Engineering Works / Nepalgunj-5, Banke		High Power CO (g/MJ _d)	0.34*	
		Contact No:	+977-9848033670	Model: AEPC/2-pot MICS	High Power PM 2.5(mg/MJd)	19.98*	
					Safety	83.5 out of 100	
			Certifi	cate Issued date:-	16 th Feb 2021	_	
					(This stove certificate longer valid)	e is no	

* Fugitive emissions value only, excluding emission from the chimney outlet

S.N. | DETS ID | Manufacturar/ Davidenary Datable | Towns

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2016	onducted	Photograph of Stove
		Designer:/ Address	Alternative Energy Promotion Center (AEPC),/ Baneshwor, Kathmandu	Biomass/2- pothole / Metallic/Natural Draft /with Chimney	High power Thermal efficiency (%) <i>Firepower 9.83 KW</i>	19.59	
72.	ICS1350 (Local)	Supplier / Address:	Nepal Energy Development Company Pvt. Ltd. / Tinkune, Kathmandu	Model:	High Power CO (g/MJ _d)	0.34*	
		Contact No:	01-4270163	AEPC/2-pot MICS	High Power PM 2.5(mg/MJd)	24.70*	A STATE OF THE STA
					Safety	83.5 out of 100	- AND MY
			Certifi	icate Issued date:-	17 th Feb 2021		
					(This stove certificate is no longer valid)		

 $[\]ensuremath{^{*}}$ Fugitive emissions value only, excluding emission from the chimney outlet

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Manufacturer Name	Henan Sencer Import And Export Trading Co., Ltd.	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%)@ Firepower 7.49 KW	37.02	
		Manufacturer Address	Henan, China	Draft Model:-			
	ICS1345 (Imported)	Local Supplier:	MinErgy Pvt. Ltd./Nakkhu, Lalitpu	Fan Stove / SC- 190	High Power CO (g/MJ _d)	2.18	
73.	. •	Local supplier contact no.	01-5185629		High Power PM 2.5(mg/MJd)	163.08	
		Manufacturer	+86-371-55912722		Safety	89 Out of 100	
		contact no:	Certifi	cate Issued date:-	24 th February 2021 (This stove certificate is valid)		Tested with wood chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co by NIBC 2016	nducted	Photograph of Stove
		Local Manufacturer Name Local Manufacturer	Sarweswor Engineering & Innovation Pvt. Ltd. Jadibuti-35, Kathmandu	Metallic /Single Pot Hole/ Force Draft	High power Thermal efficiency (%) @ <u>Firepower 5.72 KW</u> High Power CO (g/MJ _d)	4.24	
74.	ICS 1351 (Local)	address Contact No	+977-9841435345	Model:- SEI- PGCSIII	High Power PM 2.5(mg/MJd)	139.25	
					Safety	91 Out of 100	
			Certific	eate Issued date:-	24 th February 2021 (This stove certificate is n valid)	o longer	Tested with Wood Pieces (small size)

S.N	RETS ID	Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
75.	ICS 1341 (Local)	Local Manufacturer Name Local Manufacturer address Contact No	Environment Protection Center Nepal (EPC Nepal) Chandranigahpur-1, Rautahat +05540574	Metallic /Single Pot Hole/ Natural Draft Model:- NEP-STAR 2	High power Thermal efficiency (%) @ Firepower 4.54 KW High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd)	9.71	
			Certific	eate Issued date:-	Safety 18 th Mar 2021 (This stove certificate is 1 valid)	82.5 Out of 100	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co by NIBC 2016	onducted	Photograph of Stove
76.	ICS 1358 (Local)	Local Manufacturer Name Local Manufacturer address Contact No	Environment Protection Center Nepal (EPC Nepal) Chandranigahpur-1, Rautahat +05540574	Metallic /Single Pot Hole/ Force Draft Model:- NEP-STAR 4	High power Thermal efficiency (%) @ Firepower 3.36 KW High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd)	38.02 3.26 310.56	
			Certific	eate Issued date:-	Safety 25 th July 2021 (This stove certificate is realid)	75.5 Out of 100 no longer	Tested with wood chips

S.N	RETS ID Manufacturer/ Developers Details		Type/ Model	Mandatory Performation parameter as per		Photograph of Stove	
					conducted by NIB	C 2016	
		Applicant Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot Hole/Force	High power Thermal efficiency (%)@ Firepower 3.19 KW	37.98	
	ICS1357 (Local)	Applicant address	Birgunj-11, Parsa, Nepal	Draft	High Power CO (g/MJ _d)	2.02	
77.		Contact No	+977 9851134169	Model:- Magic FD	High Power PM 2.5(mg/MJd)	161.03	
					Safety	89.5 Out of 100	Tested with wood chips
			Certific	ate Issued date:-	25 th Aug 202 (This stove certificate is valid)		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Manufacturer Name	Shengzhou Stove Manufacturer	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%)@ Firepower 6.40 KW	36.42	
		Manufacturer Address	Ganlin Town, Shengzhou, China	Draft Model:-			
	ICS1360 (Imported)	Local Supplier:	Smart Power Pvt. Ltd.	SSM F-18	High Power CO (g/MJ _d)	3.19	
78.		Local supplier contact no.	01-4284445		High Power PM 2.5(mg/MJd)	142.12	
					Safety	95 Out of 100	
			Certifi	cate Issued date:-	25 th August 2021 (This stove certificate is no valid)	olonger	Tested with wood chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Manufacturer Name Manufacturer Address	Shengzhou Stove Manufacturer Ganlin Town, Shengzhou, China	Metallic /Single Pot Hole/ Force Draft	High power Thermal efficiency (%)@ Firepower 5.50 KW	41.45	
-0	ICS1361 (Imported)	Local Supplier:	MinErgy Pvt. Ltd 01-5185629	High F	High Power CO (g/MJ _d)	1.33	
79.		Local supplier contact no.	01 3103023		High Power PM 2.5(mg/MJd)	34.49	
					Safety	95 Out of 100	Tested with pellet
			Certifi	icate Issued date:-	29 th August 2021 (This stove certificate is valid)	no longer	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove
		Manufacturer Name	Shengzhou Stove Manufacturer	Metallic /Single Pot Hole/ Force Draft	High power Thermal efficiency (%)@ Firepower 5.58 KW	39.34	
	ICS1363 (Imported)	Manufacturer Address	Ganlin Town, Shengzhou, China	Model:-			
80.		Local Supplier:	Hymech Autmation & engineering Service Pvt. Ltd.	SSM F-18	High Power CO (g/MJ _d)	0.33	
80.		Local supplier contact no.	9818726993		High Power PM 2.5(mg/MJd)	30.82	
					Safety	95 Out of 100	
			Certifi	cate Issued date:-	3 rd September 2021 (This stove certificate is valid)	no longer	Tested with pellet

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove
81.	ICS1365 (Local)	Local Manufacturer Local Manufacturer Address Local supplier contact no.	Jagdamba Engineering Works Nepalgung-4, Bake 9848033670	Metallic /Single Pot Hole/ Force Draft Model:- JEW-B2022	High power Thermal efficiency (%)@ Firepower 7.91 KW High Power CO (g/MJd) High Power PM 2.5(mg/MJd) Safety	39.02 2.10 192.30 91 Out of 100	Tested with wood chips
			Certifi	icate Issued date:-	6 th February 20		
					(This stove certificate is valid)	no longer	

S.N	RETS ID	Manufacture	c/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2016	onducted	Photograph of Stove
		Local Manufacturer Name	Matribhumi Urja pvt.ltd	Mud/double Pot Hole/	High power Thermal efficiency (%)	24.64	
		Address	Basundhara, Kathamandu, Nepal	Natural Draft / chimney	High Power CO (g/MJ _d)	0.312*	
82.	ICS1366 (Local)	Contact No	9841152254	Model: M6.5	High Power PM 2.5(mg/MJd)	29.82*	
					Safety	94 out of 100	
			Certific	cate Issued date:-	6 th February 2022 (This stove certificate is valid)	no longer	

^{*} Fugitive emissions value only, excluding emission from the chimney outlet

S.N	RETS ID	ID Manufacturer/ Developers Details Type/ Model Mandatory Performance parameter as per test conducted by NIBC 2016		parameter as per test o	conducted	Photograph of Stove	
		Designer:/ Address	Alternative Energy Promotion Center (AEPC),/ Baneshwor, Ktm	Biomass/2- pothole / Metallic/Natural Draft /with Chimney	High power Thermal efficiency (%)@ Firepower 9.57 KW	19.10	
83.	ICS1367 (Local)	Supplier / Address:	Sarweswor Engineering & Innovation Pvt. Ltd		High Power CO (g/MJ _d)	0.35*	
		Contact No:	977-9841435345	Model: AEPC/2-pot MICS	High Power PM 2.5(mg/MJd)	30.24*	
					Safety	82 Out of 100	
			Certifi	cate Issued date:-	8 th Feb 2022 (This stove certificate is valid)		

^{*} Fugitive emissions value only, excluding emission from the chimney outlet

S.N. | DETS ID | Manufacturer/Developers Details | Type

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perforn parameter as per test co by NIBC 2016	onducted	Photograph of Stove
		Designer:/ Address	Alternative Energy Promotion Center (AEPC),/ Baneshwor, Kathmandu	Biomass/2- pothole / Metallic/Natural Draft /with Chimney	High power Thermal efficiency (%) Firepower 9.86 KW	19.60	
	ICS1369 (Local)	Supplier / Address:	Nepal Energy Development Company Pvt. Ltd. / Tinkune, Kathmandu	Model:	High Power CO (g/MJ _d)	0.327*	
84.		Contact No:	01-4270163	AEPC/2-pot MICS	High Power PM 2.5(mg/MJd)	28.54*	
					Safety	83.50 out of 100	TEF
			Certifi	cate Issued date:-	8 th Feb 2022 (This stove certificate is 1 valid)	no longer	

^{*} Fugitive emissions value only, excluding emission from the chimney outlet

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2016	onducted	Photograph of Stove
	ICS 1368 (Imported)	Manufacturer Name Manufacturer	Sai Grameen Udhyog 201 Indra Complex,	Metallic /Single Pot Hole/ Force draft Model:- FD-MSS-304	High power Thermal efficiency (%) @ <i>Firepower 6.13 KW</i>	37.83	
85.		Address Local supplier	Jevan Nagar Faridabad, India M.N International		High Power CO (g/MJ _d)	4.58	
		Local supplier Address:	Balaju-16, Kathmandu		High Power PM 2.5(mg/MJd)	147.28	
		Local supplier contact no:	+977-9851023972		Safety	90 out of 100	
			Certifi	cate Issued date:-	27 th February 2022 (This stove certificate is a valid)		Tested with Wood Chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perforn parameter as per test co by NIBC 2016	onducted	Photograph of Stove
		Local Manufacturer Name	Environment Protection Center Nepal (EPC Nepal)	Metallic /Single Pot Hole/ Natural	High power Thermal efficiency (%) @ <i>Firepower 3.99 KW</i>	30.92	
	ICS 1372	Local Manufacturer address	Chandranigahpur-1, Rautahat	Draft	High Power CO (g/MJ _d)	6.61	
86.	(Local)	Contact No	+055540574	Model:- NEP-STAR 5	High Power PM 2.5(mg/MJd)	444.15	
					Safety	83.50 Out of 100	
			Certific	ate Issued date:-	24 th March 2022 (This stove certificate is 1 valid)	10 longer	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as perconducted by NIB	· test	Photograph of Stove
		Local Manufacturer Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot Hole/Force	High power Thermal efficiency (%)	36.75	A
	ICS1373	Local Manufacturer address	Birgunj-11, Parsa, Nepal	Draft	High Power CO (g/MJ _d)	3.89	
87.	(Local)	Contact No	+977 9851134169	Model:- HPNJE-01FD	High Power PM 2.5(mg/MJd)	243.38	
					Safety	88 out of 100	Tested with wood chips
			Certific	cate Issued date:-	31 st March 202 Refer S.N.105 (ICS 1391) certificate		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Manufacturer Name	Zhejing Huiwenmei Stove Co. Ltd.	Metallic /Single Pot Hole/Rocket Natural	High power Thermal efficiency (%)	30.57	
		Manufacturer Address	Ganlin Tonw, Shengzhou, Zhejiang, China.	Draft	High Power CO (g/MJ _d)	5.138	1/5/
	ICS1374 (Imported)	Local supplier	MinErgy Pvt. Ltd.	Model:- SSM-GA	High Power PM 2.5(mg/MJd)	246.05	A SESION AS
88.		Local supplier Address:	Nakkhu, Lalitpur		Safety	89.5 Out of 100	
		Local supplier contact no:	01-5185629			100	
			Certif	icate Issued date:-	31st March 2022 (This stove certificate is valid)	no longer	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co by NIBC 2016	onducted	Photograph of Stove
		Designer:/ Address	Alternative Energy Promotion Center (AEPC),/ Baneshwor, Kathmandu	Biomass/3- pothole / Metallic/Natural Draft /with	High power Thermal efficiency (%) Firepower 9.46 KW	19.22	
	ICS1375 (Local)	Supplier / Address:	Nepal Energy Development Company Pvt. Ltd. / Tinkune, Kathmandu	Chimney	High Power CO (g/MJ_d)	5.09*	188
89.		Contact No:	01-4270163	Model: AEPC/3-pot MICS	High Power PM 2.5(mg/MJd)	25.67*	
					Safety	79 out of 100	
			Certific		3 rd April 2022 (This stove certificate is r valid)	no longer	

^{*} Fugitive emissions value only, excluding emission from the chimney outlet (Stove has been submitted without heat resistance paint, paint partially burns itself, resulting high CO emissions compared to other stove of similar type)

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove
		Designer:/ Address	Alternative Energy Promotion Center (AEPC),/ Baneshwor, Kathmandu	Biomass/3- pothole / Metallic/Natural Draft /with Chimney	High power Thermal efficiency (%) <i>Firepower 10.23</i> <u>KW</u>	18.48	
90.	ICS1376 (Local)	Supplier / Address:	Husk Power Nepal Pvt. Ltd/ Birjung- 11,Parsa		High Power CO (g/MJ _d)	6.15*	
		Contact No:	9851134169	Model: AEPC/3-pot MICS	High Power PM 2.5(mg/MJd)	20.68*	
					Safety	79 out of 100	
			Certifi	icate Issued date:-	3 rd April 2022	•	
					(This stove certificate is valid)	no longer	

^{*} Fugitive emissions value only, excluding emission from the chimney outlet (Stove has been submitted without heat resistance paint, paint partially burns itself, resulting high CO emissions compared to other stove of similar type)

S.N	RETS ID	Manufacturer	r/ Developers Details	Type/ Model	Mandatory Perform	onducted	Photograph of Stove
91.	ICS1371 (Imported)	Manufacturer Name Manufacturer Address Local supplier Local supplier Address: Local supplier	Mimi Moto BV, Duinzoom 20-a,3233 EG Oostvoorne, The Netherlands Janda Devi Nepal Engry Pvt. Ltd. Jadibuti, Kathmandu 9851187011	Biomass / Forced Draft / Metallic /single pot Model:- Mimi Moto	High power Thermal efficiency (%) (%)Firepower 2.82 KW High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd) Safety	47.25 3.68 61.92 95.5 out of 100	mimi & moto
		contact no:	Certific	ate Issued date:-	17 th April 202 (This stove certificate is revalid)		Tested with pellet

S.N	RETS ID		rer/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name	Sai Grameen Udyog	Metallic /Single Pot Hole/ Natural	High power Thermal efficiency (%) (%) <i>Firepower 4.27 KW</i>	30.12	
	ICS 1380 (India)	Supplier in India	Manikaran Power Limited	Draft Model:-	High Power CO (g/MJ _d)	3.58	
92.	(muia)	supplier Address:	Dwarka, New Delhi-110077, India	GVK0.65 SS-2	High Power PM 2.5 (mg/MJd)	481.76	
		Local supplier contact no:	+977-9851017958		Safety	75.5 out of 100	
			Certifi	cate Issued date:-	20 th Oct 2022 (This stove certificate is no valid)	longer	

S.N	RETS ID	Manufacturer	r/ Developers Details	Type/ Model	Mandatory Perforn parameter as per test co by NIBC 2016	onducted	Photograph of Stove
		Manufacturer Name	Earthfit Solutions Private Limited	Biomass / Natural Draft / Metallic /single	High power Thermal efficiency (%) (%) <i>Firepower 4.50 KW</i>	26.16	
		Manufacturer Address	Taluka Mulshi, Pune 412115, India	pot	High Power CO (g/MJ _d)	5.21	
	ICS1379 (Imported)	Local supplier	Clean Power Pvt. Ltd.	Model:-	High Power PM 2.5(mg/MJd)	485.35	
93.		Local supplier Address:	Kathmandu, Nepal	EARTHFIT/ ARJUN	Safety	86.5 out of 100	
		Local supplier contact no:	+9779841184616				
			Certific	ate Issued date:-	11 th November 2 (This stove certificate is r valid)		

S.N	RETS ID	Manufacturer	r/ Developers Details	Type/ Model	Mandatory Performa parameter as per test con by NIBC 2016		Photograph of Stove
		Manufacturer Name	Zhejiang Huiwenmei Stove Co., Ltd.	Biomass / Natural Draft / Metallic /single	High power Thermal efficiency (%) (%) <i>Firepower 4.25 KW</i>	29.70	
		Manufacturer Address	Ganlin Town, Shengzhou City, China	pot	High Power CO (g/MJ _d)	3.54	C SEM
	ICS1382 (Imported)	Local supplier	MinErgy Pvt. Ltd.	Model:- SSM/S26	High Power PM 2.5(mg/MJd)	498.02	
94.		Local supplier Address:	Dakshinkali Chowk, Lagankhel-5, Lalitpur		Safety	86.5 Out of 100	
		Local supplier contact no:	01-552176001				
			Certific	ate Issued date:-	10 th November 20 (This stove certificate is no valid)		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performa		Photograph of Stove
					parameter as per te conducted by NIBC 2		
		Local Manufacturer Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot Hole/Force	High power Thermal efficiency (%) Firepower 5.57 KW	38.34	
	ICS1381	Local Manufacturer address	Birgunj-11, Parsa, Nepal	Draft	High Power CO (g/MJ _d)	3.91	
95.	(Local)	Contact No	+977 9851134169	Model:- HUSK- PBM/HPN- 01FD	High Power PM 2.5(mg/MJd)	243.3	
					Safety	88 out of 100	Tested with wood chips
			Certific	ate Issued date:-	16 th Nov 2022 (This stove certificate is no valid)	longer	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfor		Photograph of Stove
					parameter as pe		
					conducted by NIB	C 2016	
		Applicant	Husk Power Nepal	Metallic	High power Thermal	29.39	
		Name	Pvt. Ltd	/Single Pot	efficiency (%)@		
				Hole/Rocket	Firepower 4.46 KW		
		Applicant	Birgunj-11, Parsa,	Natural	High Power CO	6.39	
		address	Nepal	Draft	(g/MJ_d)		
	ICS 1383	Contact No	+977 9851134169		High Power PM	459.82	
	(Local)				2.5(mg/MJd)		
96.				Model:-			
90.				HPNJE-01ND			And an analysis and an analysi
					Safety	82.5 out	
						of 100	
							Commission and Commission of C
			Certific	cate Issued date:-	27 th Dec 202	22	
					(This stove certificate is		
					valid)		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perforn parameter as per test co by NIBC 2016	onducted	Photograph of Stove
	ICS1384 (Imported)	Manufacturer Name	Earthfit Solutions Pvt. Ltd.	Metallic/single Pot Hole/ Rocket/			
		Manufacturer Address	Pune 412115, India	Natural Draft	High Power CO (g/MJ _d)	5.16	
		Local supplier	Future Now Pvt. Ltd.		High Power PM 2.5(mg/MJd)	482.44	
97.		Local supplier Address:	Jwagal-06, Kupondol, Lalitpur	<mark>Model:-</mark> Earthfit/Arjun	Safety	86.50 out of 100	
		Local supplier contact no:	Tel: +977 01- 5553870, 5550452				
			Certific	eate Issued date:-	24 th Jan 2023 (This stove certificate is 1 valid)		

S.N	RETS ID	Manufacturei	r/ Developers Details	Type/ Model	Mandatory Perforn parameter as per test co by NIBC 2016	onducted	Photograph of Stove
		Manufacturer Name	Mitson Biogas Solution	Metallic/single Pot Hole/ Rocket/	High power Thermal efficiency (%) @ firepower 4.26 KW	29.43	
	ICS1385 (Imported)	Manufacturer Address	Mehna Chowk 2611 Suchsing Galli, Indian.	Natural Draft	High Power CO (g/MJ _d)	5.57	MEREN
98.		Local supplier	Emerging Alternative Sustainable Technology Pvt	Model:- Miston fire	High Power PM 2.5(mg/MJd)	490.94	
		Local supplier Address:	Budhanagar-10, Kathmandu		Safety	86.50 out of 100	
		Local supplier contact no:					
			Certific	eate Issued date:-	27 th Feb 2023		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Manufacturer Name	Greenway Gramin Infra Pvt Ltd.	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%) @ Firepower = 5.05 KW	27.42	
	ICS 1386 (India)	Manufacturer Address	Belapur, Navi Mumbai, India, 400614	Brand/Model:-	High Power CO (g/MJ _d)	3.34	Greenway
99.		Contact No:-	91-9920103757	Greenway /Jumbo Stove High Power PM 2.5(mg/MJd) 425.07			
		Email address	shoeb.kazi@greenwaya ppliances.com		Safety	86.50 out of 100	
		Website:-	www.greenwayapplianc e.com				
			Certifi	icate Issued date:-	2 nd March 2023		

S.N	RETS ID	Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name /	Shri MAA Sales	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%) @ Firepower = 5.75 KW	27.93	
	ICS 1390	Manufacturer Address	Govindpura, Bhopa- 462023 Madhya Pradesh India.	Brand/Model:-	High Power CO (g/MJ _d)	2.28	SHRI I
100.	(Imported)	Local supplier	Cosmic Solution Pvt. Ltd	Shri /shri Chulha	High Power PM 2.5(mg/MJd)	490.31	
		Local supplier address	Banasthali, Kathmandu		Safety	76 out of 100	
		Website:-	Certif	icate Issued date:-	27 th April 2023		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Designer:/ Address	Alternative Energy Promotion Center (AEPC),/ Baneshwor , Ktm	Biomass/2- pothole / Metallic/Natural Draft /with Chimney	High power Thermal efficiency (%)@ Firepower 9.57 KW	18.36	
101.	ICS1392 (Local)	Supplier / Address:	Husk Power Nepal Pvt. Ltd./ Birgunj-21, Parsa		High Power CO (g/MJ _d)	0.38*	
		Contact No:		Model: AEPC/2-pot MICS	High Power PM 2.5(mg/MJd)	31.41*	
					Safety	82 out of 100	
			Certifi	cate Issued date:-	30 th April 2023	3	

^{*}All emission parameters are measured for fugitive emissions only

S.N	RETS ID	Manufacture	c/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c		Photograph of Stove
					by NIBC 2010		
		Designer:/ Address	Alternative Energy Promotion Center (AEPC),/ Baneshwor , Ktm	Biomass/2- pothole / Metallic/Natural Draft /with Chimney	High power Thermal efficiency (%)@ Firepower 9.41 KW	18.29	
102.	ICS1093 (Local)	Supplier / Address:	Jagadamba Engineering Works / Nepalgunj-5, Banke		High Power CO (g/MJ _d)	0.36*	
		Contact No:	+977-9848033670	<mark>Model:</mark> AEPC/2-pot MICS	High Power PM 2.5(mg/MJd)	32.25*	The state of the s
					Safety	83.5 out of 100	
	Certifi			cate Issued date:-	7 th May 2023		

^{*}All emission parameters are measured for fugitive emissions only

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 201	conducted	Photograph of Stove
		Designer:/ Address	Alternative Energy Promotion Center (AEPC),/ Baneshwor , Ktm	Biomass/2- pothole / Metallic/Natural Draft /with Chimney	High power Thermal efficiency (%)@ Firepower 9.27 KW	18.59	
103.	ICS1094 (Local)	Supplier / Address:	P.S Energy Power Pvt. Ltd		High Power CO (g/MJ _d)	0.43*	
		Contact No:	++977-9855071109	Model: AEPC/2-pot MICS	High Power PM 2.5(mg/MJd)	39.87*	
					Safety	83.5 out of 100	
			Certifi	cate Issued date:-	8 th May 2023		

^{*}All emission parameters are measured for fugitive emissions only

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Local Manufacturer Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot Hole/Force	High power Thermal efficiency (%)	37.99	
	ICS1391 (Local)	Local Manufacturer address	Birgunj-11, Parsa, Nepal	Draft	High Power CO (g/MJ _d)	4.12	
104		Contact No	+977 9851134169	Model:- HUSK-PBM/ HPNO1FD	High Power PM 2.5(mg/MJd)	168.43	Tribit count of the count of th
					Safety	82 out of 100	Tested with wood chips
			Certific	ate Issued date:-	8 th Jun 2023		

S.N	RETS ID	Manufa	ncturer/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Manufact urer Name	Blueearth Environment Pvt. Ltd.	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%) @ Firepower = 4.87 KW	32.69	
	ICS 1396 (Internation	Manufact urer Address	504,Rajeev Gandhi Complex, Kutchery Chowk, Raipur, India	Brand/Model:- Blueearth /	High Power CO (g/MJ _d)	1.92	
105.	-INDIA)	Contact No:-	+ 78983-78818	Arjun	High Power PM 2.5(mg/MJd)	498.30	
		Email address	info@blueearth.eco		Safety	83.50 out of 100	
		Website:-	www.blueearth.eco				
			Certif	icate Issued date:-	21 st Jun 2023		
S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove
		Manufacturer Name	Zhejing Huiwenmei Stove Co. Ltd.	Metallic /Single Pot Hole/Rocket Natural	High power Thermal efficiency (%) Firepower = 3.52 KW	37.36	
	TGG1200	Manufacturer Address	Ganlin Tonw, Shengzhou, Zhejiang, China.	Draft	High Power CO (g/MJ _d)	3.07	
106.	ICS1398 (Imported)	Local supplier	Smart Power Pvt. Ltd	Model:- SSM / S28-X	High Power PM 2.5(mg/MJd)	489.42	
		Local supplier Address:	Balkhu-14, Kathmandu		Safety	Out of 100	
		Local supplier contact no:	01-5914446			100	
			Certif	icate Issued date:-	7 th July 2023		Tested with pot Skirt (H=100 mm)

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfor parameter as per conducted by NIB	r test	Photograph of Stove
		Applicant Name	Nepal Energy Development Company Pvt. Ltd.	Metallic /Single Pot Hole/Natural	High power Thermal efficiency (%)	38.38	
		Applicant address	Tinkune, Kathmandu	Draft	High Power CO (g/MJ _d)	5.01	The state of the s
107	ICS1400 (Local)	Applicant Contact No	+9771-4270163	Model:- NEDCO-FD3	High Power PM 2.5(mg/MJd)	344.92	
					Safety	83.5 out of 100	
			 Certific	ate Issued date:-	5 th Oct 2023		Tested with Long wood chips

S.N	RETS ID	Manufacture	c/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name /	Henan Sencer Import and Export Trading Co. Ltd	Metallic /Single Pot Hole/ Force Draft	High power Thermal efficiency (%) @ Firepower = 4.72 KW	37.42	TILT
	ICS 1403	Manufacturer Address	Henan, China	Brand/Model:-	High Power CO (g/MJ _d)	0.72	11111
108.	(Imported)	Local supplier	Hymech Automations & Engineering Services Pvt. Ltd./	Ezy Burn / SC-190	High Power PM 2.5(mg/MJd)	146.82	
		Local supplier address	Sanepa-2, Lalitpur		Safety	82 out of 100	
		Contact info	9851235693				Tested with wood chips
			Certif	icate Issued date:-	19 th Oct 2023		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co by NIBC 2016	nducted	Photograph of Stove
		Local Manufacturer Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot Hole/Force	High power Thermal efficiency (%) <i>Firepower 5.44 KW</i>	40.61	
	ICS1405 (Local)	Local Manufacturer address	Birgunj-11, Parsa, Nepal	Draft	High Power CO (g/MJ _d)	3.87	
109		Contact No	+977 9851134169	Model:- HUSK- PBM/HPN- 01FD	High Power PM 2.5(mg/MJd)	177.13	FRUIK POWER NAPA.
					Safety	85 out of 100	
			Certific	ate Issued date:-	20 th Oct 2023		Tested with wood chips

S.N	RETS ID	TS ID Manufacturer/ Developers Details Type/ Model Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove			
		Designer:/ Address	Alternative Energy Promotion Center (AEPC),/ Baneshwor , Ktm	Biomass/3- pothole / Metallic/Natural Draft /with Chimney	High power Thermal efficiency (%)@ Firepower 9.07 KW	20.69	-
110.	ICS1407 (Local)	Supplier / Address:	Jagadamba Engineering Works / Nepalgunj-5, Banke		High Power CO (g/MJ _d)	4.96*	
		Contact No:	+977-9848033670	Model: AEPC/3-pot MICS	High Power PM 2.5(mg/MJd)	25.81*	
					Safety	79 out of 100	*Fugitive Emission value only (, excluding emission from the chimney outlet
			Certifi	cate Issued date:-	28 th Nov 2023		,

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Local Manufacturer Name	Supreme Solar Pvt. Ltd.	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%) @ Firepower 5.42 KW	42.31	
	ICS 1408	Local Manufacturer address	Kusunti-13, Lalitpur	Draft	High Power CO (g/MJ _d)	4.63	16
111.	(Local)	Contact No	01-5541036/ 9851166673	Model:- VORTEX/VR1	High Power PM 2.5(mg/MJd)	253.56	
					Safety	90 Out of 100	
			Certific	eate Issued date:-	28 th Nov 2023		Tested with Wood Pieces (small size)

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co by NIBC 2016	onducted	Photograph of Stove
		Local Manufacturer Name	Swostha Chulo Nepal	Mud/double Pot Hole/	High power Thermal efficiency (%) @ Firepower 5.42 KW	22.78	
	100 1 400	Address	44 Gayatrimarga Jayabageswori-8, Kathmandu	Natural Draft / chimney	High Power CO (g/MJ _d)	0.29	
112.	ICS 1409 (Local)	Contact No	9841152254	Model: Swostha Chulo / SCN-01	High Power PM 2.5(mg/MJd)	38.47	
					Safety	89 out of 100	The state of the s
			Certific	cate Issued date:-	4 th December 2023		*Fugitive Emission value only (, excluding emission from the chimney outlet

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Local Manufacturer	Jagdamba Engineering Works	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%)@ <u>Firepower 7.24 KW</u>	39.64	
	ICS1411 (Local)	Local Manufacturer Address	Nepalgung-4, Bake	Draft Model:- JEW-B2023	High Power CO (g/MJ _d)	3.92	
113.	(=====,	Local supplier contact no.	9848033670		High Power PM 2.5(mg/MJd)	180.67	
					Safety	86 Out of 100	Tested with wood chips
			Certifi	cate Issued date:-	6 th December 2023		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test by NIBC 20	conducted	Photograph of Stove
		Applicant Name	Smart Solar Pvt. Ltd.	Metallic /Single Pot Hole/Force	High power Thermal efficiency (%) @ Firepower 4.39 KW	36.27	
	ICS1410	Applicant address	Banasthali-16, Kathmandu	Draft	High Power CO (g/MJ _d)	3.33	SISS-GUSTUL ST
114.	(Local)	Applicant Contact No	01-4961846	Model:- SMS-G-03701	High Power PM 2.5(mg/MJd)	307.48	
					Safety	80.50 out of 100	
			Certific	ate Issued date:-	22 nd December	2023	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
	ICS1412 (Local)	Local Manufacturer Local Manufacturer Address	Jagdamba Engineering Works Nepalgung-4, Bake	Metallic /Single Pot Hole/ Force Draft Model:- JEW-B2024	High power Thermal efficiency (%)@ Firepower 8.45 KW High Power CO (g/MJ _d)	37.06	
115.		Local supplier contact no.	9848033670		High Power PM 2.5(mg/MJd) Safety	184.12 80 Out of 100	
		ı	Certifi	icate Issued date:-	11 th February 2024		
							Tested with wood chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/	Mandatory Performa	nce parameter	Photograph of Stove
				Model	as per test conducted	by NIBC 2016	
		Manufacturer name Manufacturer	Ecosense Appliances Pvt. Ltd., India K151, Waluj MIDC,	Metallic /Single Pot Hole /Natural	High power Thermal efficiency (%) @ Firepower 5.31 KW High Power CO	28.45	
116.	ICS1413 (International – INDIA)	Manufacturer Contact Information's	Chattrapati Sambhaji Nagar-431136, India +91-7972141064	Draft Model:- ecochula UMANG / Umang Natural	(g/MJ _d) High Power PM 2.5(mg/MJd)	474.19	
				Draft Biomass Cook Stove	Safety	77.50 out of 100	
			Certificate	Issued date:-	14 th February	2024	

S.N	RETS ID	TS ID Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Designer:/ Address	Alternative Energy Promotion Center (AEPC),/ Baneshwor, Ktm	Biomass/2- pothole / Metallic/Natural Draft /with Chimney	High power Thermal efficiency (%)@ Firepower 9.88 KW	19.47	
117.	1415 (Local)	Supplier / Address:	Nepal Yantrashala Energy / Patan - 15, Lalitpur		High Power CO (g/MJ _d)	0.38*	
		Contact No:	+977-01-5522167	Model: AEPC/2-pot MICS	High Power PM 2.5(mg/MJd)	37.05*	
					Safety	80.5 out of 100	
		Certific			15 th February 20	024	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Local Manufacturer Local Manufacturer	Ecosphere Nepal Pvt. Ltd. Kupandole- 1, Lalitpur	Metallic /Single Pot Hole/ Force Draft Model:-	High power Thermal efficiency (%) @ Firepower 7.99 KW	37.61	
118.	ICS1416 (Local)	Address	+01-5444067	Eco / FD1.1	High Power CO (g/MJ _d)	3.98	
		Local supplier contact no.	101 5 111007		High Power PM 2.5(mg/MJd)	216.63	
					Safety	84.50 Out of 100	
			Certifi	icate Issued date:-	14 th April 2024		Tested with wood chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
119	ICS1419 (Local)	Local Manufacturer Name Local Manufacturer address Contact No	Husk Power Nepal Pvt. Ltd Birgunj-11, Parsa, Nepal +977 9851134169	Metallic /Single Pot Hole/Force Draft Model:- HUSK- PBM/HPN- 01FD*	High power Thermal efficiency (%) Firepower 7.06 KW High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd)	37.05 3.80 197.29 81 out of 100	
			Certific	ate Issued date:-	9 th June 2024	01 100	Tested with wood chips

^{*}modified version-High firepower than previous stove of same model ICS1381

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2016	onducted	Photograph of Stove
120.	ICS1420 (Local)	Local Manufacturer Name Address Contact No	Matribhumi Urja pvt.ltd Basundhara, Kathamandu, Nepal 9841152254	Mud/double Pot Hole/ Natural Draft / chimney Model: MICS-HH-06	High power Thermal efficiency (%) (@ <u>Firepower 4.20</u> <u>KW</u> High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd) Safety	27.34 0.25* 39.01* 89 out of 100	
			Certifi	cate Issued date:-	15 th May 2024		

^{*} Fugitive emissions value only, excluding emission from the chimney outlet

S.N	RETS ID		r/ Developers Details	Type/ Model	Mandatory Performa parameter as per test con by NIBC 2016	ducted	Photograph of Stove
121.	ICS1422 (Local Supplier)	Local Supplier Name / Addresss Manufacturer name/ Adress Contact No	Novelty Consulting Pvt. Ltd./ Kathmandu, Nepal Zhejiang Huiwenmei Stove Co., Ltd./ China 977-9851214500	Metallic/Single Pot Hole/ (without pot skirt) Natural Draft Model: SSM / S26-11E	High power Thermal efficiency (%) (@ Firepower 4.10 KW) High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd) Safety	32.47 3.69 484.47 85.50 out of	
			Certific	cate Issued date:-	10 th June 2024	100	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c		Photograph of Stove
D.11					by NIBC 2010		
		Manufacturer Name	Zhejiang Huiwenmei Stove Co., Ltd.	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%) @ Firepower = 4.10 KW	32.67	
	ICS 1423	Manufacturer Address	DongXi Bridge, Ganlin town ,Shengzhou City, Zhejiang, China	(without pot skrit)	High Power CO (g/MJ _d)	3.56	
122.	/ CHINA)	<u>Tel:-</u>	+86-575-83061938	Brand/Model:- SSM / S26- 11 E	High Power PM 2.5(mg/MJd)	479.68	
		Website:-	www.ssmstove.com		Safety	85.50 out of 100	
			Certif	icate Issued date:-	25 th June 2024		

S.N	RETS ID	Manufacture	/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2010	onducted	Photograph of Stove
		Manufacturer Name	Zhejiang Huiwenmei Stove Co., Ltd.	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%) @ Firepower = 3.93 KW	37.98	
	ICS 1424	Manufacturer DongXi Bridge, (Tested with pot Address Ganlin town Skirt, Skirt 0.5 inch (g/MJ _d)					
123.	(Imported)	<u>Tel:-</u>	+86-575-83061938	Brand/Model:- SSM / S26- 11 E	High Power PM 2.5(mg/MJd)	473.31	
		Local Supplier	Kanu Trading Pvt. Ltd.		Safety	82.50 out of 100	
		Supplier contact details	+977-9841398851				
			Certif	icate Issued date:-	3 rd July 2024		

S.N	RETS ID	Manufacturer/ Developers Details		Type/ Model	Mandatory Performa parameter as per test cor		Photograph of Stove
					by NIBC 2016	luucteu	
		Local Manufacturer	Sarweswor Engineering & Innovation Pvt. Ltd.	Metallic/Single Pot Hole	High power Thermal efficiency (%) (@ <i>Firepower 5.44 KW</i>	38.35	
		Manufacturer Address	Jadibuti-32, Kathmandu	Force Draft	High Power CO (g/MJ _d)	2.23	
124.	ICS 1428 (Local)	Contact No	+977-9841435345	Model: SEI / SEIPGCSII	High Power PM 2.5(mg/MJd)	352.39	
				SEII GCSII	Safety	76 out of 100	
	Certifica			cate Issued date:-	11 th July 2024	1	

S.N	RETS ID	Manufacture	c/ Developers Details	Type/ Model	Mandatory Performa parameter as per test cor by NIBC 2016		Photograph of Stove
		Local Manufacturer	Sainju Renewable Group Pvt. Ltd.	Metallic/Single Pot Hole	High power Thermal efficiency (%) (@ <i>Firepower 4.41 KW</i>	38.86	
		Manufacturer Address	Imadol -4, Mahalaxmi, Lalitpur	Force Draft	High Power CO (g/MJ _d)	4.17	6 117
125.	ICS 1429 (Local)	Contact No	977-986146461181	Model: SAINJU / SG - 2004	High Power PM 2.5(mg/MJd)	160.43	
				2004	Safety	86 out of 100	
		Certificate Issue			11 th July 2024	I	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Local Manufacturer	Jagdamba Engineering Works	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%)@ Firepower 8.45 KW	39.07	
	ICS 1430	Local Manufacturer Address	Nepalgung-4, Bake	Draft Model:- JEW-B2024	High Power CO	2.17	5 1/3
126.	(Local)	T 1 1'	9848033670		(g/MJ _d)		
		Local supplier contact no.			High Power PM 2.5(mg/MJd)	190.60	
					Safety	84 Out of 100	
			Certifi	icate Issued date:-	12 th July 2024		Tested with wood chips

^{*}Modified than previous sample of same model/ High power firepower is changed from $8.45~\mathrm{kw}$ to $10.05~\mathrm{kW}$

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
	ICS 1431 (Local)	Local Manufacturer Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot Hole/Force	High power Thermal efficiency (%) Firepower 7.06 KW	38.79	
		Local Manufacturer address	Birgunj-11, Parsa, Nepal	Draft	High Power CO (g/MJ _d)	1.39	
127		Contact No	+977 9851134169	Model:- HUSK- PBM/HPN- 01FD*	High Power PM 2.5(mg/MJd)	203.69	
					Safety	84 out of 100	
			Certific	ate Issued date:-	11 th July 2024		Tested with wood chips

^{*}Modified than previous sample of same model / High power firepower is changed from 7.46 kw to 5.46 kW

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Local Manufacturer	Jagdamba Engineering Works	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%)@ Firepower 8.85 KW	39.29	
	ICS 1435	Local Manufacturer Address	Nepalgung-4, Bake	Draft <mark>Model:-</mark> JEW-FD2024	High Power CO	3.68	
128.	(Local)	T 1 1:	9848033670		(g/MJ _d)	450.00	
		Local supplier contact no.			High Power PM 2.5(mg/MJd)	159.39	
					Safety	89 Out of 100	Tested with wood chips
			Certifi	icate Issued date:-	21 st Aug 2024		

S.N	RETS ID	Manufacture	c/ Developers Details	Type/ Model	Mandatory Performa parameter as per test cor by NIBC 2016	nducted	Photograph of Stove
		Local Manufacturer	Sainju Renewable Group Pvt. Ltd.	Metallic/Single Pot Hole	High power Thermal efficiency (%) (@ <i>Firepower 4.42 KW</i>	40.57	SerJet MFP M236sdn
		Manufacturer Address	Imadol -4, Mahalaxmi, Lalitpur	Force Draft	High Power CO (g/MJ _d)	3.96	SAINU COMPANY AND
129.	ICS 1436 (Local)	Contact No	977-986146461181	Model: SAINJU/ VORTEX02	High Power PM 2.5(mg/MJd)	154.09	
				VORTEAU2	Safety	89 out of 100	
		1	Certific	cate Issued date:-	21 st Aug 2024		Tested with Wood chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co by NIBC 2016	onducted	Photograph of Stove
		Local Manufacturer Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot Hole/Force	High power Thermal efficiency (%) Firepower 6.42 KW	39.05	Las
	ICS 1439 (Local)	Local Manufacturer address	Birgunj-11, Parsa, Nepal	Draft	High Power CO (g/MJ _d)	3.51	
130		Contact No	+977 9851134169	Model:- HUSK- PBM/HPN- 01FD(1)	High Power PM 2.5(mg/MJd)	162.33	
					Safety	89 out of 100	
			Certific	ate Issued date:-	21 st Aug 2024		Tested with wood chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co by NIBC 2016	onducted	Photograph of Stove
		Manufacturer Name	Burn Manufacturing USA LLC	Metallic /Single Pot Hole/Natural	High power Thermal efficiency (%) Firepower 3.71 KW	39.39	
	ICS 1433 (International / KENYA)	Manufacturer address	1921-00232, New Horizon Business Park Go Down 8-11, Ruiru, Kenya	Draft Model:-	High Power CO (g/MJ _d)	3.63	Secon .
131		Contact No	+254716638528	ECOA Wood with Fuel Saver	High Power PM 2.5(mg/MJd)	385.54	
					Safety	91.5 out of 100	
			Certific	ate Issued date:-	22 nd Aug 2024		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test co by NIBC 2016	onducted	Photograph of Stove
		Manufacturer /Address	S.P Tools / Pithampur, Dist – Dhar, MP 454775 INDIA	Metallic /Single Pot Hole/Natural Draft	High power Thermal efficiency (%) <i>Firepower 4.15 KW</i>	27.56	
	ICS 1432 (International	Supplier / Address	Vision Green Tech Pvt. Ltd.		High Power CO (g/MJ _d)	1.45	
132	/ INDIA)	Contact No	-91-7014979602	Model:- Vision Green Tech. / Eco Vision	High Power PM 2.5(mg/MJd)	418.67	
					Safety	75.5 out of 100	
		,	Certific	ate Issued date:-	25 th Aug 2024		

S.N	RETS ID	Manufacturer	/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
133	ICS1437 (Local)	Local Manufacturer Name Address Contact No	Matribhumi Urja pvt.ltd Basundhara, Kathamandu, Nepal 9841152254	Mud/double Pot Hole/ Natural Draft / chimney Model: MATRIBHUM I/MICS-5.8 "AIR SUPPLY DISC"	High power Thermal efficiency (%) (@ <u>Firepower 4.57</u> <u>KW</u> High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd) Safety	26.61 0.13* 37.32* 91.5 out of 100	
			cate Issued date:-	2 nd September 2024	4		

^{*} Fugitive emissions value only, excluding emission from the chimney outlet

S.N	RETS ID	Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name	Zhejiang Huiwenmei Stove Co., Ltd.	Metallic /Single Pot Hole/Rocket Force Draft	High power Thermal efficiency (%) @ Firepower = 4.10 KW	49.31	
	ICS 1444	Manufacturer Address	DongXi Bridge, Ganlin town ,Shengzhou City, Zhejiang, China	(without pot skrit)	High Power CO (g/MJ _d)	2.51	SSID
134.	(International / CHINA)	<u>Tel:-</u>	+86-575-83061938	Brand/Model:- SSM / F-18	High Power PM 2.5(mg/MJd)	155.83	
		Website:-	www.ssmstove.com		Safety	96 out of 100	
			Certif	icate Issued date:-	18th September 2	2024	Tested with Pellet

S.N	RETS ID	Manufacture	er/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name	Environment Protection Centre	Metallic/single Pot Hole/ Rocket/	High power Thermal efficiency (%) @ Firepower = 3.81 KW	27.66	
		Manufacturer Address	Chandranigahapur-1, Rautahat	Natural Draft	High Power CO (g/MJ _d)	6.65	
	ICS 1442 (Local)			_	High Power PM 2.5(mg/MJd)	479.11	
135.		Local supplier contact no:	055-540574	Model:- NEP-STAR 2	Safety	85.50 Out of 100	
			Certifi	cate Issued date:-	4 th Oct 2024		

S.N	RETS ID	Manufacture	er/ Developers Details	Type/ Model	Mandatory Performance		Photograph of Stove
					parameter as per test of by NIBC 201		
		Manufacturer Name	Environment Protection Centre	Metallic/single Pot Hole/	High power Thermal efficiency (%) @ Firepower = 3.81 KW	38.20	
	ICS 1443	Manufacturer Address	Chandranigahapur-1, Rautahat	Force Draft	High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd)	2.85	
136.	(Local)	Local supplier contact no:	055-540574	Model:- NEP-STAR 4	Safety	79.50 Out of 100	
		l	Certifi	cate Issued date:-	4 th Oct 2024		

S.N	RETS ID	ID Manufacturer/ Developers Details Type/ Model Mandatory Performance parameter as per test conducted by NIBC 2016			Photograph of Stove		
		Local Manufacturer	Sarweswor Engineering & Innovation Pvt. Ltd.	Metallic/Single Pot Hole	High power Thermal efficiency (%) (@ <i>Firepower 4.85 KW</i>	36.39	
		Manufacturer Address	Jadibuti-32, Kathmandu	Force Draft	High Power CO (g/MJ _d)	2.59	
137.	ICS 1441 (Local)	Contact No	+977-9841435345	Model: SEI / SEIPGCSIV	High Power PM 2.5(mg/MJd)	184.56	
				SEIFGCSIV	Safety	89 out of 100	
		1	Certific	cate Issued date:-	15 th Oct 2024		

S.N	RETS ID	Manufacturer/ Developers Details Type/ Model Mandatory Performance parameter as per test conducted by NIBC 2016		onducted	Photograph of Stove		
		Local Manufacturer Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot Hole/Force	High power Thermal efficiency (%) Firepower 5.82 KW	38.87	Laser
	ICS 1440 (Local)	Local Manufacturer address	Birgunj-11, Parsa, Nepal	Draft	High Power CO (g/MJ _d)	3.47	
138		Contact No	+977 9851134169	Model:- HUSK- PBM/HPN- 01FD(2)	High Power PM 2.5(mg/MJd)	161.33	
					Safety	89 out of 100	Tested with wood chips
			Certific	ate Issued date:-	13 th Nov 2024		

S.N	RETS ID	Manufacture	r/ Developers Details	Developers Details Type/ Model Mandatory Performance parameter as per test conducted by NIBC 2016		nducted	Photograph of Stove
		Local Manufacturer Name	Supreme Solar Pvt. Ltd.	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%) @ Firepower 3.67 KW	40.07	
	100 1446	Local Manufacturer address	LMC-13, Lalitpur	Draft	High Power CO (g/MJ _d)	2.51	
139.	ICS 1446 (Local)	Contact No	9861461181	Model:- MOUNTFLA ME/FFD-HF- 02	High Power PM 2.5(mg/MJd)	268.68	
					Safety	81.50 Out of 100	
			Certific	ate Issued date:-	12 th Dec 2024		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Local Manufacturer	Jagdamba Engineering Works	Metallic /Single Pot Hole/ Force	High power Thermal efficiency (%)@ Firepower 8.82 KW	37.38	
	ICS 1450	Local Manufacturer Address	Nepalgung-4, Bake	Draft Model:- JEW-FD2025	High Power CO	3.36	
140	(Local)	Local supplier contact no.	9848033670		(g/MJ _d) High Power PM 2.5(mg/MJd)	145.14	
					Safety	89 Out of 100	Tested with wood chips
			Certifi	icate Issued date:-	2 nd Feb 2025		

S.N	RETS ID	RETS ID Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
141.	ICS1451 (Local)	Local Manufacturer Local Manufacturer Address Local supplier contact no.	Ecosphere Nepal Pvt. Ltd. Kupandole- 1, Lalitpur +01-5444067	Metallic /Single Pot Hole/ Force Draft Model:- ECO / FD	High power Thermal efficiency (%) @ Firepower 5.56 KW High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd) Safety	1.42 150.43 89 Out of 100	
			Certif	icate Issued date:-	2 nd Feb 2025		Tested with wood chips

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Local Manufacturer	Sarweswor Engineering & Innovation Pvt. Ltd.	Metallic/Single Pot Hole	High power Thermal efficiency (%) (@ <i>Firepower 5.89 KW</i>	37.17	
		Manufacturer Address	Jadibuti-32, Kathmandu	Force Draft	High Power CO (g/MJ _d)	1.72	
142.	ICS 1452 (Local)	Contact No	+977-9841435345	Model: SEI / PGSIV	High Power PM 2.5(mg/MJd)	156.58	
					Safety	89 out of 100	
		I	Certifi	cate Issued date:-	2 nd Feb 2025		Tested with wood chips